

Honda WB20XT Motor Pump 37 m³/h Stage V

Reference: WB 20XT4 DR X



HONDA WB20XT WATER PUMP 37m³/H STAGE V

The HONDA WB20XT water pump is a Gasoline Engine Motopump with a GX120 Stage V engine, featuring a maximum flow rate of 37 m³/h and a maximum debris passage of 6mm in diameter.

The HONDA WB20XT water pump Stage V Motopump is a reliable solution designed for professional applications, engineered to efficiently handle large volumes of water. With its high-performance capabilities and specific features, this pump is ideal for swiftly addressing water accumulation issues. Built to be robust and durable, it utilizes Honda WB20XT premium-quality GX engine to ensure dependable performance. Perfectly suited for demanding scenarios like construction sites and flood situations, this Motopump delivers exceptional results.

The high-flow pumps of The HONDA WB20XT water pump series are engineered to effortlessly manage substantial water quantities. Their sturdy construction is characterized by an abrasion-resistant cast iron stator housing and impeller, enabling them to move up to 37 m³/h. This is equivalent to filling an average-sized swimming pool in just under an hour and a half. The pump can handle debris up to 6mm in size due to the integrated filter, ensuring smooth operation.

To tackle challenging operating conditions, the HONDA WB20XT Motopumps are equipped with anti-vibration elastomeric mounts, reducing mechanical stresses and ensuring quiet, smooth operation. The reliable and efficient 4-stroke OHV engine features an automatic decompression function for easy starting. Moreover, the Oil Alert™ system automatically shuts down the engine if oil levels fall below safety limits, protecting the unit from damage.

The HONDA WB20XT high-flow pump effectively maintains a partial vacuum through the quality craftsmanship of its flexible seals and O-rings, preventing air entry and vacuum loss. This optimized sealing system maximizes pressure and flow, delivering reliable performance even in demanding situations. The HONDA WB20XT water pump can handle lifts of up to 32 meters, demonstrating its versatility and power.

TECHNICAL SPECIFICATIONS OF HONDA WB20XT WATER PUMP:

Engine: Honda GX120
Maximum Engine Power: 2.6 kW
Emission Standard: Stage V
Starting: Manual recoil
Cooling: Air
Engine RPM: 3600 rpm
Fuel: Gasoline
Fuel Tank Capacity: 2 liters
Fuel Consumption: 1.40 l/h
Runtime: 1.42 hours
Number of Cylinders: 1

Displacement: 118 cc
 Maximum Debris Diameter: 6 mm
 Suction Diameter: 50
 Discharge Diameter: 50
 Maximum Flow Rate: 37.2 m³/h
 Maximum Head: 32 meters
 Maximum Suction: 7.5 meters
 Length: 490 mm
 Depth: 365 mm
 Height: 420 mm
 Net Weight: 20 kg

HONDA WB20XT is compact and lightweight, weighing only 44 kg. This makes it easy to carry and use in hard-to-reach places.

Looking for a Motopump with different technical specifications? You can find the entire range of HONDA or other specialized brands [HERE](#).

Technical Sheet

Fuel	Gasoline
Engine	Honda GX120, 4 stroke, OHV
Emissions Regulations	Stage 5
Engine rpm (rpm)	3600
Ignition	Transistorized
Starting system	Manuale
Engine capacity (cm ³)	118
Number cylinders	1
Oil capacity (L)	0.6
Cooling	Forced air
Bore x stroke (mm)	60 x 42
Net power (kW)	2.6
Fluid type	Clean water
Height of suction (m)	7,5
Maximum output capacity (Lt/min)	620
Pressure (bars)	3.2
Inlet diameter thread type (mm/inches)	50 mm - 2"
Outlet diameter thread type (mm/inches)	50 mm - 2"
Debris size capacity (mm)	6
Total head (m)	32
Fuel tank capacity (L)	2
Consumption (L/h)	1.4
Running time (h)	1.42

Acoustic power	102 dB(A)
Acoustic pressure	88 dB(A)
Length (mm)	490
Width (mm)	365
Height (mm)	
Dry weight (Kg)	
Silenced	No
Super silenced	No
Engine manufacturer	Honda