



GENSET WELDBABY 180

Reference: WELDBABY 180

The MPM range has been designed to meet the needs of those who need motor welding machines for highly professional applications. This result has been obtained mainly thanks to the peculiar characteristics of the GenSet asynchronous alternator: versatility, reliability and efficiency.

The attention paid by GenSet to the different needs of users of motor welding machines in every part of the world and in every environmental condition, has resulted in the development of a complete range in terms of:

- type of motorization;
- different levels of soundproofing;
- variety of welding processes that can be carried out;
- number of accessories available.

The image is purely indicative.

Technical Sheet

Phase	Single phase
Maximum power single phase (KVA)	1
Fuel	Gasoline
Voltage (V)	110 / 230
Sockets configuration	Presse di corrente trifase CEE 400 V 16 A+ Presse di corrente monofase CEE 230 V 16 A
Engine	Honda GX200, 4 stroke, OHV
Engine rpm (rpm)	4000
Ignition	Recoil
Starting system	Pull starter
Engine capacity (cm ³)	196
Number cylinders	1
Cooling	Air
Welding current (A)	400 A al 100% - 500 A al 60%
Open circuit voltage (V)	70

Fuel tank capacity (L)	3.8
Consumption (L/h)	1.8 at 75% of the load
Acoustic power	95 dB(A)
Length (mm)	720
Width (mm)	440
Height (mm)	510
Dry weight (Kg)	98
Inverter	No
AVR	No
Compound	No
Silenced	No
Super silenced	No
Engine manufacturer	Honda