

TELWIN TECHNOMIG 240 WAVE 230 V

Reference: 816076



TECHNOMIG 240 WAVE 230V

MIG-MAG/FLUX/BRAZING/MMA and TIG DC-Lift multiprocess inverter welding machine controlled by a microprocessor.

The WAVE OS system makes welding operations: customisable to suit customer-specific requirements; traceable and analysable, by saving data via USB; simplified, thanks to synergic adjustment of parameters and the presence of specific programs for the materials to weld.

Features:

- 55 customisable programs,
- continuous and pulsed functioning,
- user-friendly interface with TFT colour screen,
- WAVE OS operating system with pulsed welding programs for specific materials (AB Pulse for aluminium and galvanised metal sheets) and low heat transfer for thin materials (ATC).

Complete with torch, cable and earth clamp.

Not binding images and technical data.

Technical Sheet

| | |
|--------------------------------|--------------|
| Phase | Single phase |
| Frequency (Hz) | 50 / 60 |
| Voltage (V) | 230 |
| Efficiency (%) | 84 |
| Protection degree | IP23 |
| No-load voltage (V) | 96 |
| Regulation current (A) | 20 - 220 |
| Diameter electrodes (mm) | 1.6 - 4 |
| Ø steel welding wire (mm) | 0.6 - 1 |
| Ø inox welding wire (mm) | 0.8 - 1 |
| Ø aluminium welding wire (mm) | 0.8 - 1.2 |
| Ø flux cored welding wire (mm) | 0.8 - 1.2 |
| Ø brazing wire (mm) | 0.8 - 1 |

| | |
|-------------------|----------------------|
| Type of welding | Multiprocess |
| MIG-MAG welding | MIG-MAG/FLUX/BRAZING |
| Current max (A) | |
| Length (mm) | 620 |
| Width (mm) | |
| Height (mm) | 490 |
| Voltage regulator | Inverter |
| Weight (Kg) | 0.4 |