

## GENMAC QUEEN G80PS-E3 THREE-PHASE 80 KVA DIESEL - MOTOR PERKINS STAGE 3A



Reference: QUEEN G80PS-E3-MOTORE PERKINSSTAGE 3A-AVR

### GENMAC QUEEN G80PS-E3

The GENMAC QUEEN G80PS-E3 is a 80 KVA super-silenced single-phase/three-phase diesel generator with Stamford alternator and AVR voltage regulator.

Thanks to its diesel fuel supply, the GENMAC QUEEN G80PS-E3 can only consume 2.06 m<sup>3</sup>/h at full load and has a low environmental impact, making it one of the best in its class.

The long life and reliability of the GENMAC QUEEN G80PS-E3 is due to a special control procedure during the various stages of production.

The GENMAC QUEEN G80PS-E3 is suitable for applications in different contexts such as: hospitals, industries, shopping malls, hotels, airports, banks, universities, stadiums, offices, etc.

The Stage 3A engine allows the use of the generator set also for mobile use, for example for roadworks and rental services.

### Control panel features

#### QT2A-4520

Self-standing tower with IP65 metal box  
 Circuit breaker  
 AMF controller DSE4520- Voltmeter, Frequncymeter, Ammeter-  
 Generator power (kW, kV Ar, kV A & pf) monitoring- Hour meter- Fuel level meter- Overload (kW & kV Ar) protection- Low oil pressure protection- High coolant temperature protection- Low fuel level protection- Battery charger alternator fault- Rpm protection  
 Emergency stop button  
 Audible alarm  
 Terminal board for ATS connection  
 Can Bus reading Port (if standard on the engine)  
 Battery charger  
 On/off switch

Images and technical data are not binding.

### Technical Sheet

Phase	Single phase / Three phase
Maximum power three phase (KW)	71
Continuous power three phase (KW)	64
Maximum power three phase (KVA)	89
Continuous power three phase (KVA)	80
Fuel	Diesel
Frequency (Hz)	50

Voltage (V)	230 / 400
Engine	PERKINS 1104D-E44TAG1, turbocharged
Emissions Regulations	Stage 3A
Engine rpm (rpm)	1500
Speed governor	Mechanical
Engine capacity (cm <sup>3</sup> )	4400
Number cylinders	4
Oil capacity (L)	8
Cooling	Water
Alternator	Stamford UCI224G, self-excited
Width (mm)	1056
Height (mm)	1900
Dry weight (Kg)	1500
AVR	Yes
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	AVR
Engine manufacturer	Perkins