



## RENT HONDA EU 30is Petrol Inverter Generator 3 kW 3.75 kVA

Reference: EU30IS NOLEGGIO

### GENERATOR RENTAL 3 KW HONDA EU30is super-silenced inverter

GENERATOR RENTAL 3 KW HONDA EU30is generator 3 KW single phase and gasoline power supply, super-silenced and with inverter technology voltage regulator.

The GENERATOR 3 KW HONDA EU30is for rental is small but contains all the features and innovations necessary to ensure the delivery of clean, environmentally friendly power to operate sensitive electronic equipment in large outdoor environments.

#### RENTAL SERVICE

Generator rental has never been so easy: choose the product you want to rental and [FILL OUT THE FORM](#).

Our specialized staff will answer you immediately with the most suitable offer for you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to use our equipment in order to keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will be using the rental service.

### INVERTER VOLTAGE REGULATOR

The voltage regulator with inverter technology guarantees the GENERATOR RENTAL 3 KW HONDA EU30is a constant, clean and uninterrupted supply of electricity with a quality comparable to that of the home.

Thanks to the exclusive inverter voltage regulator, you can connect your sensitive devices (PCs, smartphones, appliances, etc.) to your HONDA genset safely and without burning them out. The inverter technology makes the GENERATOR RENTAL 3 KW HONDA EU30is an ideal choice for the rental service.

Inverter technology makes these generators ideal for hospitality facilities, emergency activities, sensitive electronics and lighting.

The Honda EU30is engineered for low noise and is among the quietest in its class as it is designed with sound-isolating liners and a unique exhaust system silencer. The combination of lightweight materials such as magnesium, handles and stable, smooth wheels make the genset extremely easy to move and maneuver.

The GENERATOR RENTAL 3 KW Honda EU30is also built with a heavy-duty steel frame engine support system. These rubber shock absorbers, positioned on either side of the engine and angled at a 45-degree angle, significantly reduce engine vibration from an

already quiet machine. An advanced silencer system keeps the noise of this generator set to an absolute minimum.

The GENERATOR 3 KW Honda EU30is generator is equipped with the exclusive load-sensing device: the ECO-Throttle™. This device allows, as the load increases, to automatically increase the generator's RPM, so you'll always have the power you need without straining the generator. This also gives you great fuel savings.

Another device found in all Honda generator sets is Oil Alert™ technology, which prevents engine damage by automatically shutting down the engine if the oil is below a safe level.

Large tank size combined with engine efficiency allows up to 8 hours of uninterrupted work, even at high power performance. The fuel tank cap allows you to check the fuel level without removing it, also offering significant time savings.

EU30is portable rental gensets can be connected together using a parallel cable that doubles the power. Connected in this way, they can meet the needs of small facilities such as delivering power to keep the air conditioner running in an RV. Two smaller gensets are easier to manage and transport than one large one, and once in place, they can be connected to increase power.

## TECHNICAL CHARACTERISTICS GENERATOR RENTAL 3 KW HONDA EU30is

Phase Type: Single Phase  
Maximum Single Phase Power: 3 KW / 3.75KVA  
Continuous Single Phase Power: 2.8 KW / 3.5KVA  
Fuel: Gasoline  
Voltage (V): 230  
Frequency (Hz): 50 Hz  
Engine: Honda GX200  
Type: 4-stroke, OHV, 1 cylinder  
Start: Electric and recoil  
Voltage regulator: Inverter  
Run time: 8h  
Consumption: 1.625 Lt/h  
Length: 658 mm  
Width: 482 mm  
Height: 570 mm  
Weight (Kg): 61.2

Are you looking to rental a generator with different technical characteristics? [Here](#) you can find our entire rental fleet where you can find the perfect generator for you.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	3
Continuous power single phase (KW)	2.8
Maximum power single phase (KVA)	3.75
Continuous power single phase (KVA)	3.49
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230

Sockets configuration	2 x 230V CEE
Engine	Honda GX200, 4 stroke, OHV
Engine rpm (rpm)	3800
Ignition	Transistorized
Starting system	Manual / Electric
Engine capacity (cm <sup>3</sup> )	196
Number cylinders	1
Oil capacity (L)	0.55
Cooling	Air
Alternator	Multipolar
Bore x stroke (mm)	68 x 54
Fuel tank capacity (L)	13
Consumption (L/h)	1.62
Running time (h)	8
Acoustic power	91 dB(A)
Acoustic pressure	74 dB(A)
Length (mm)	658
Width (mm)	482
Height (mm)	570
Dry weight (Kg)	61.2
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	Inverter
Engine manufacturer	Honda