

Rental HONDA ECT 7000 Generator max. 7 kW

Reference: ECT7000K-NOLEGGIO



GENERATOR RENTAL 7KW HONDA ECT7000K

GENERATOR RENTAL 7KW HONDA ECT7000K generator with gasoline power supply, three-phase power of 7 KVA and single-phase power of 4 KVA, capacitor voltage regulator, sturdy shockproof frame and recoil starter.

The GENERATOR 7KW HONDA ECT7000K is perfect for any type of use thanks to the ability to deliver a voltage both single-phase and three-phase, in addition it is light and easy to handle thanks to the handles integrated in the structure.

RENTAL SERVICE

Rental a generator has never been so easy: choose the product you want to rent and [FILL OUT THE FORM](#).

Our specialized staff will respond immediately with the offer that best suits you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will use the rental service.

In an emergency situation, the last thing you need is an electrical emergency. The GENERATOR RENTAL 7KW HONDA ECT7000K, just like our emergency services, is up to any challenge. Rugged and reliable for instant power anywhere.

Extremely convenient sockets and controls make starting and operating the generator easy and fast. Just start it up and let it run, because the unique Oil Alert™ feature will automatically shut off the power if the oil is below a safe level. Maximum safety guaranteed.

The GENERATOR 7KW HONDA ECT7000K also features a heavy-duty steel frame engine support system. These rubber shock absorbers, positioned on either side of the engine and angled at 45°, significantly reduce engine vibration from an already quiet machine. Aesthetically pleasing, functionally effective.

TECHNICAL FEATURES GENERATOR RENTAL 7KW HONDA ECT7000K

Phase Type: SinglePhase / ThreePhase
Maximum SinglePhase Output: 3.2 KW / 4 KVA
Continuous SinglePhase Output: 2.88 KW / 3.6 KVA
Maximum ThreePhase Output: 5.6 KW / 7 KVA
Continuous ThreePhase Output: 5.2 KW / 6.5 KVA
Fuel: Gasoline
Voltage): 230 / 400

Frequency (Hz): 50 Hz
Engine: Honda GC390T1
Type: 4-stroke, OHV, 1 cylinder
Start: Manual
Voltage regulator: Capacitor
Run time: 2h 06min
Consumption: 3.01 Lt/h
Length: 800mm
Width: 550mm
Height: 540mm
Weight (Kg): 77

Are you looking to rental a generator with different technical characteristics? [Here](#) you can find our entire rental fleet where you can find the perfect generator for you.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	3.2
Continuous power single phase (KW)	2.88
Maximum power single phase (KVA)	4
Continuous power single phase (KVA)	3.6
Maximum power three phase (KW)	5.6
Continuous power three phase (KW)	5.2
Maximum power three phase (KVA)	7
Continuous power three phase (KVA)	6.5
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	1 x 400V CEE - 2 x 230V SCHUKO
Engine	Honda GX390 T1, 4 stroke, OHV
Engine rpm (rpm)	3000
Ignition	Transistorized
Starting system	Manual
Engine capacity (cm ³)	389
Number cylinders	Multicylinder
Oil capacity (L)	1.1

Cooling	Air
Alternator	Tripolar
Bore x stroke (mm)	88 x 64
Fuel tank capacity (L)	6.2
Consumption (L/h)	3.01
Running time (h)	2.06
Acoustic power	97 dB(A)
Acoustic pressure	86 dB(A)
Length (mm)	800
Width (mm)	550
Height (mm)	540
Dry weight (Kg)	77
Silenced	No
Super silenced	No
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	Compound
Engine manufacturer	Honda