



CGM D15000T GENERATOR THREE-PHASE 15KVA

Reference: D15000T /

CGM D15000T Three-phase Generator 15 KVA

CGM D15000T three-phase 15 KVA generator with Kohler engine powered by STAGE V diesel at 3000 rpm, compact and easy to use, mounted on a fixed base with anti-vibration mounts.

The CGM D15000T generator consists of a Made in Italy alternator from Linz or NSM, self-excited with brushes and with optional compound or **AVR** voltage regulator. The CGM D15000T generator is equipped with electric start with 12V battery and with a low fuel consumption, in fact it consumes only 3,2 liters/hour at 75% of the load for an autonomy up to 15 hours of operation.

This CGM D15000T is perfect for outdoor use such as hobby use.

The CGM D15000T generator is part of the CLASSIC DIESEL series and are characterized by lower fuel consumption and a longer life expectancy than the gasoline-powered range. The 3000 rpm CGM D15000T is suitable for emergency use only. It is not recommended for use for more than 6 hours continuously and for more than 500 hours per year.

Technical specifications of CGM D15000T:

Phase Type: Three Phase
Maximum power: 12 KW
Continuous power: 10.8 KW
Maximum power: 15 KVA
Continuous power: 13.5 KVA
Fuel: Diesel
Voltage: 400 V
Frequency: 50 Hz
Motor: KOHLER KD477
Motor RPM: 3000 rpm
Starting: Electric
Voltage regulator system: Compound, AVR optional
Consumption: 3.2 Lt/h at 75% of the load
Tank capacity: 50 Lt
Autonomy: 15.6 h at 75% load
Length: 1100 mm
Width: 700 mm
Height: 800 mm
Weight: 210 Kg

Discover the full range reserved for [generator](#) of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data not binding.

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	12
Continuous power three phase (KW)	10.8
Maximum power three phase (KVA)	15
Continuous power three phase (KVA)	13.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Sockets configuration	1 x 400V 32A 5P CEE - 1 x 230V 16A 3P CEE
Engine	Kohler KD477
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Starting system	Electric
Engine capacity (cm ³)	954
Number cylinders	2
Alternator	Made in Italy
Poles	2