



GENERATOR RENTAL 12.3KVA GENMAC DAILY G11000KS

Reference: G11000KS NOLEGGIO

GENERATOR RENTAL 12.3KVA GENMAC DAILY G11000KS SINGLE-PHASE / THREE-PHASE

GENERATOR RENTAL 12.3KVA Genmac Daily G11000KS three-phase generator is equipped with a Kohler diesel-powered engine capable of delivering a power of 12.3KVA with AVR voltage regulator.

The GENERATOR 12.3KVA Genmac Daily G11000KS professional diesel generators are highly reliable machines, built with quality components for use in the professional field, where reliability is paramount.

RENTAL SERVICE

Rental a generator has never been easier: choose the product you want to rent and [FILL OUT THE FORM](#).

Our specialized staff will answer you immediately with the most suitable offer for you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will be using the rental service.

Thanks to meticulous study of the materials from which it is made, the GENERATOR RENTAL 12.3KVA Genmac Daily G11000KS offers high generator reliability, reduces strain and **increases its lifespan by lowering the noise level**.

All Kohler **engines** are built using the **best materials**, the **most innovative techniques** and the **most advanced methods of quality control**.

Each engine is thoroughly tested to prove that it is in perfect working order before delivery.

AVR Voltage Regulator

All models in the Genmac series are available with a voltage regulator. The AVR is a device that allows you to **keep the output more constant and less dependent on the load**. Thanks to this card you have less drops or spikes in current and this makes it safer utilize the various devices connected, improving performance and durability.

TECHNICAL FEATURES GENERATOR RENTAL 12.3KVA GENMAC Daily G11000KS

Phase Type: SinglePhase / ThreePhase

Continuous SinglePhase Output: 3.6 KVA / 2.9 KW

Maximum SinglePhase Output: 4.1 KVA / 3.2 KW

Continuous ThreePhase Output: 11 KVA / 8.8 KW
 Maximum ThreePhase Output: 12.3 KVA / 9.8 KW
 Power Factor cos fi?: 0.8
 VAC voltage: 230 / 400 V
 Frequency (Hz): 50
 Voltage regulator: AVR
 Starting square: manual
 Motor: KOHLER KD425/2
 RPM: 3000
 Power supply: Diesel
 Tank capacity: 19 l
 Run time: 8 h
 Acoustic pressure: 72 @ 7m
 Length: 1030 mm
 Width: 620 mm
 Height: 804 mm
 Net weight: 250 Kg

Are you looking to rental a generator with different technical characteristics? [Here](#) you can find our entire rental fleet where you can find the perfect generator for you.

Available for Turin and all of Italy.

Images and technical data are not binding and may be subject to revision by the supplier.

...

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	3.2
Continuous power single phase (KW)	2.9
Maximum power single phase (KVA)	4.1
Continuous power single phase (KVA)	3.6
Maximum power three phase (KW)	9.8
Continuous power three phase (KW)	8.8
Maximum power three phase (KVA)	12.3
Continuous power three phase (KVA)	11
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	1 x 16A 230V - 1 x 32A 230V - 1 x 16A 400V
Engine	Kohler KD 425/2
Engine rpm (rpm)	3000
Speed governor	Mechanical
Starting system	Electric

Cooling	Air
Poles	2
Fuel tank capacity (L)	19
Consumption (L/h)	2.4
Running time (h)	8
Acoustic pressure	72 dB(A) at 7 m
Length (mm)	1030
Width (mm)	620
Height (mm)	804
Dry weight (Kg)	250
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	AVR
Engine manufacturer	Kohler