



GENERATOR RENTAL 180KVA POWER SR180

Reference: SR180 NOLEGGIO

GENERATOR RENTAL 180KVA SR180 SINGLE-PHASE / THREE-PHASE

GENERATOR RENTAL 180KVA SR180 single-phase / three-phase generator, equipped with FPT (IVECO) N67 TM3A Diesel engine capable of delivering a maximum power of 180KVA, complete with voltage regulator.

GENERATOR RENTAL 180KVA SR180 is compact and easy to use, equipped with sound-absorbing panels that greatly reduce noise emissions and makes it **supersilenced**. The GENERATOR RENTAL 180KVA generating set is composed of a Mecc Alte alternator and voltage regulator. The GENERATOR RENTAL 180KVA SR180 generating set is equipped with electric start and with a low fuel consumption, in fact it consumes only 27 liters/hour at 75% of the load for an autonomy of up to 9 hours of operation. SR180 180KVA is equipped with electric start or automatic start by means of ATS panel, which allows the automatic ignition in case of blackout.

ATS AUTHOMATIC TRANSFER SWITCH

The SR180 generator predisposed for the use of the ATS Authomatic Transfer Switch. Thanks to it, you will no longer have to worry about blackouts because if the mains power fails, this panel is able to start the SR180 automatically and allow you to continue your activity without losing your work data.

RENTAL SERVICE

Rental a generator has never been so easy: choose the product you want to rent and [FILL OUT THE FORM](#).

Our specialized staff will respond immediately with the offer that best suits you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will use the rental service.

GENERATOR RENTAL 180KVA SR180 TECHNICAL CHARACTERISTICS

Phase Type: SinglePhase / ThreePhase
SinglePhase Continuous Power: 56.6 KVA / 45.3
Maximum SinglePhase Power: 60 KVA / 48KW
ThreePhase Continuous Power: 170 KVA / 136KW
ThreePhase Maximum Power: 180 KVA / 144KW
Factor cos fi?: 0.8
VAC voltage: 230 / 400 V

Frequency (Hz): 50
Voltage regulator: Yes
Start-up switch: Manual / Automatic
Engine: FPT (IVECO) N67 TM3A
RPM: 1500
Power supply: Diesel
Fuel tank capacity: 250 l
Consumption @ 75 % of load: 27 l/h
Autonomy @ 75 % of load: 9.25 h
Acoustic pressure: 75 dB(A) @ 7m
Length: 3200 mm
Width: 1100 mm
Height: 1820 mm
Net weight: 1900 Kg

Are you looking to rental a generator set with different technical characteristics? [Here](#) you can find our entire rental fleet in which you can find the perfect generator for you.

Available for Turin and all of Italy.

The images are purely indicative.

Curabitur mauris sem, ultrices a pretium vel, volutpat non risus. Mauris porttitor, odio id dignissim auctor, lorem nulla suscipit nibh, et elementum mi libero nec leo. Cras quis nulla vel odio tincidunt lobortis. Duis velit diam, tincidunt a arcu vitae, efficitur tempor quam. Aliquam eleifend sem vitae leo congue iaculis. Vivamus blandit leo tellus, et elementum justo suscipit non. Etiam metus est, ultricies ut nibh ac, suscipit maximus tellus. Pellentesque mollis facilisis mauris sollicitudin placerat. Maecenas vulputate quis ipsum eget vulputate.

""

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	48
Continuous power single phase (KW)	45.3
Maximum power single phase (KVA)	60
Continuous power single phase (KVA)	56.6
Maximum power three phase (KW)	144
Continuous power three phase (KW)	136
Maximum power three phase (KVA)	180
Continuous power three phase (KVA)	170
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	Terminal box

Engine	FPT (IVECO) N67 TM3A
Emissions Regulations	Stationary Use
Engine rpm (rpm)	1500
Speed governor	Mechanical
Starting system	Manual / Automatic
Cooling	Air
Alternator	Mecc Alte
Poles	4
Fuel tank capacity (L)	250
Consumption (L/h)	27 Lt/h al 75% del carico
Running time (h)	9.2 h al 75% del carico
Acoustic pressure	75 dB(A) at 7 m
Length (mm)	3200
Width (mm)	1100
Height (mm)	1820
Dry weight (Kg)	1900
Silenced	Yes
Super silenced	Yes
Voltage regulator	YES
Engine manufacturer	FPT Iveco