



TELAIR TIG 6000G

Reference: 07080

TELAIR TIG 6000G LPG GENERATOR 5.8KW INVERTER

TELAIR TIG 6000G is a new generation power generator with voltage regulator with **inverter** technology and powered by an LPG engine. TELAIR TIG 6000G is an ultra-modern machine with variable speed electronic management, has allowed TELAIR TIG 6000G to obtain an extremely low **noise** combined with a very low average consumption.

The inverter technology voltage regulator allows the TELAIR TIG 6000G vehicular generator to generate a very stable voltage with a pure sine wave, this allows you to power any type of household appliance without worry.

The remote control panel included in the TELAIR TIG 6000G vehicular generator has a modern design and equipped with a graphic display, it provides the user with all the information related to the operation of the TELAIR TIG 6000G vehicular generator, control of oil level, operating temperature and current consumption with automatic engine shutdown in case of out of standard values.

It allows to select the operation of the TELAIR vehicular generator between manual and automatic (in case of use also as battery charger) and it is also equipped with a BOOST key that can be used when a temporary power increase is needed for a very high electric load. It is also equipped with a special interface that will allow in the future, to use the new Teleco-Hub App to remotely turn on, turn off and control the TELAIR TIG 6000G vehicular generator via an iOS or Android smartphone.

TECHNICAL FEATURES TELAIR TIG 6000G

Phase Type: Single Phase
Maximum Power: 5.8 KW
Continuous use power: 5 KW
Voltage: 230 V
Frequency: 50 Hz
Motor: Yamaha MZ300
Displacement: 296 cm³
Starting: electric
Power supply: LPG
Oil capacity: 1l
Motor speed: 2500 - 3600 rpm
Sound pressure: 54 - 68 dB(A) @ 7m
Width: 723.5 mm
Depth: 467 mm
Height: 339 mm
Dry weight: 90 Kg

If you are looking for a vehicular generator similar to the TELAIR TIG 6000G then we suggest you browse our extensive catalog of [vehicular-generators](#).

Images and technical data of TELAIR TIG 6000G are not binding and may be subject to revision.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	5.8
Continuous power single phase (KW)	5
Fuel	LPG
Frequency (Hz)	50
Voltage (V)	230
Engine	Yamaha MZ 300
Engine rpm (rpm)	
Starting system	Elettrico
Engine capacity (cm ³)	296
Acoustic pressure	54 - 68 dB(A) @ 7m
Length (mm)	723.5
Width (mm)	467
Height (mm)	339
Dry weight (Kg)	90
Product type	Generator
Voltage regulator	Inverter
Engine manufacturer	Yamaha