



ASTURO K5100 ELECTRIC PUMP 2,0KW

Reference: 0775100K

ELECTRIC AIRLESS DIAPHRAGM PUMP ASTURO K5100 2,0KW

Pump Asturo K5100 airless electric diaphragm with electric motor with a power of 2.0KW ideal for do-it-yourself work of not excessive severity.

The airless pump uses materials such as paints and enamels with a maximum viscosity of 100 DIN-S. The pump is made of plastic, with internal stainless steel details, making it easy to transport thanks to its low weight of 39kg.

Intuitive use of the discharge valve, the product does not need much maintenance thanks to its compactness. It mounts a 230V electric motor that generates a power of 2.0KW, allowing a free delivery of 9 lt/min.

Integrated in the pump with 2.0KW power there is a suction and recirculation system. The Asturo K1000 airless pump is complete with a kit for sanitizing environments consisting of 10 m long 3/8" high pressure hose and 16 x 1.5 FG connection. K90 gun with 3/8" connection with maximum pressure of 250 bar. MKII speedy self-cleaner with SPxx nozzle, high pressure spray gun, max 250 bar. Includes spray nozzle (mod SFC 13 60) and 3/8" swivel fitting to connect to the hose.

Sanitizing spray nozzle. Included in the PLA spray gun and lances is a sanitizing sprayer for sanitizing agents suitable for use in hazardous and heavy duty environments; exceptional in fighting pathogens such as bacteria, mold and viruses. The airless pump is suitable for medium to large environments, such as offices, industrial buildings, schools, tensile structures, common areas of condominiums, buses, vans, trucks, small and medium boats.

TECHNICAL FEATURES OF THE ELECTRIC AIRLESS DIAPHRAGM AIRLESS PUMP K5100

Free delivery: 5 l/min

Motor Voltage: 230 V

Motor frequency: 50Hz

Power: 2,0KW

Nozzle size: 29 - 35 inch

Max pressure: 200 bar

maximum high pressure hose length: 50 m

Weight: 39Kg

If you are looking for another product then you can see other electric [pumps in our catalog](#).

Images and technical data are not binding.

Technical Sheet

Maximum power single phase (KW)	2
Frequency (Hz)	50
Voltage (V)	230
Weight (Kg)	39
