



AURORA TOWER LIGHT SIGMA 55-L 4X160

Reference: SIGMA 55-L 4X160

AURORA SIGMA 55-L4X160

AURORA SIGMA 55-L4X160 is a lighting tower with manual lifting equipped with 4 projectors capable of delivering a light output of 160W each.

AURORA SIGMA 55-L4X160 is equipped with a galvanized steel lifting tower capable of extending up to 5.5 meters in maximum height. The tower is complete with a hand pump for raising and manual locking on each extension to prevent rotation of the same and to ensure the maximum extension of the column even in the absence of air inside.

AURORA SIGMA 55-L4X160 stands out for its performance, compactness and solidity, with its 4X160W halogen lights, able to compete with much bulkier lighting towers equipped with a halogen system.

AURORA SIGMA 55-L4X160 does not have an integrated generator, it is the ideal product for those who already have a power source or connection to the electrical network.

The lenses of the AURORA light tower are equipped with extremely special optics designed specifically for the civil engineering and construction sectors.

AURORA SIGMA 55-L4X160 is suitable for a variety of large-scale construction work, maintenance repair, accident management and disaster relief work, high brightness lighting needs.

AURORA SIGMA 55-L4X160 features extremely compact size and square shape that optimize and facilitate its placement and transportation on mobile vehicles.

TECHNICAL CHARACTERISTICS AURORA SIGMA 55-L4X160

Manufacturer: Green Power
Projectors: 4 x 160W LED
Lit Area: 2400 square meters
Total Lumen: 81400 lm
Max Height: 5.5 Mt
Rise: Manual
Pole sections: 4
Rotation: 360
Max wind resistance: 80 Km/h
Transport: Stationary
Voltage: 230V
Frequency: 50 Hz
Tower dimensions closed: 260x236x2089 mm
Tower dimensions open: 260x236x5500 mm

Dry weight: 100 Kg

Are you looking for a product with different characteristics? [Here](#) you can find the full range Green Power or other specialized brands.

The pictures and technical data are not binding and may be subject to revision by the supplier.

Technical Sheet

Frequency (Hz)	50
Voltage (V)	230
Maximum height (m)	5.5
Type of lamps	LED
Lamps	
Telescopic pole	Galvanized steel
Illuminated area (m ²)	2400
Total lumens (Lm)	81400
Lifting System	Manual lifting system
Mast rotation	360°
Open size (mm)	260x236x5500
Closed size (mm)	260x236x2089
With generator / Without generator	Without generator
Transportability	Stationary
Dry weight (Kg)	100