



LARIUS VEGA 34:1 INOX AIRLESS PUMP WITH ACCESSORIES

Reference: K98138

LARIUS VEGA 34:1 INOX AIRLESS PUMP

The pump LARIUS VEGA 34:1 INOX pneumatic pump is designed for high-pressure coating without the need for air (hence the term AIRLESS) and is capable of delivering a maximum flow rate of 1.4 l/m.

This airless pump is particularly indicated for the use of water-soluble coatings. Unlike air-assisted systems, airless systems nebulize the material under pressure without the support of air. LARIUS VEGA 34:1 INOX is a pneumatically-driven pump, which puts the material under pressure by delivering a given quantity at 7 bar through the nozzle hole, forming a nebulized jet.

LARIUS VEGA 34:1 INOX basically consists of an air motor and a structure called "Material pumping group" or more simply "Pumping group".

In the air motor, the compressed air generates the reciprocating vertical movement of the motor piston; this movement is transmitted via a connecting rod to the piston of the material pumping unit. This causes the pump to suck in material or push it towards the outlet.

The LARIUS VEGA 34:1 INOX pump is equipped with a trolley complete with handle that allows a comfortable and easy transport, in addition it is supplied complete with high pressure filter, the air supply regulator of the pump, the suction pipe (complete with filter) and the recirculation pipe. The 34:1 ratio means that the material output pressure is 34 times the air pressure of the pump supply.

TECHNICAL FEATURES LARIUS GHIBLI 30:1 PUMP

Maximum flow rate: 1.4 l/m
Maximum supply air pressure: 7 bar
Maximum operating pressure. working pressure: 240 bar
Inlet air supply: 3/8" GAS (F)
Inlet: 3/4" GAS C (M)
Outlet: 3/8" GAS C (F)
Air consumption: 3 bar 180 l/m, 5 bar 380 l/m, 7 bar 550 l/m
Sound pressure level: < 80 dB (A)
Motor diameter: 76 mm (3")
Piston stroke: 76 mm (3")
c. c. Cycle: 19
N° cycles/m: 60
N° cycles/l: 50

Sealings: PTFE + Polyethylene
Weight: 16 kg
Height: 900 mm
Width: 450 mm
Depth: 470 mm

ACCESSORIES INCLUDED IN THE SUPPLY

Airless spray gun AT250 with swivel connection M16x1.5 (code 11200)
High pressure hose Ø 3/6" with connection M16x1.5mt (code 55050)
Super Fast Clean base (code 18270)
Super Fast Clean nozzle (code SFC)

Looking for an electric pump with different features? [Here](#) you can find the full range of LARIUS or other specialized brands

Images and technical data are not binding and may be subject to revision by the supplier

Technical Sheet

Maximum output capacity (Lt/min)	1.4
Pressure (bars)	240 Max
Length (mm)	450
Width (mm)	470
Height (mm)	900
Dry weight (Kg)	16
Version	Trolley
Type of pumping group	Piston