



## VETUS GLX14TI THREE PHASE MARINE GENERATOR 14KVA

Reference: GLX14TI

### VETUS GLX14TI MARINE GENERATOR 14KVA

VETUS GLX14TI is a 14KVA three-phase boat generator, with a 1500 rpm diesel powered, water-cooled M4.45 engine and digital control panel.

VETUS GLX14TI operates at a fixed number of engine revolutions, and can be placed even in small spaces thanks to their compact size. The high quality design, insulation and materials of the generators in this range ensure reliability and durability.

All VETUS GLX14TIs come with the handy digital control panel, with which the user can automatically start or turn off the generator.

The alternator of the VETUS GLX14TI marine generator is brushless, with AVR voltage regulator, class H insulation and IP 44 protection of internal parts. The AVR voltage regulator avoids voltage surges and does not allow to burn sensitive electronic devices such as pc, smartphone or appliances in general.

The VETUS GLX14TI generator thanks to its AVR voltage regulator is a robust worker. Thanks to the pure sine wave, this generator is suitable for use in combination with electronic components such as a computer. In other words, a compact and reliable companion for your boat.

The VETUS GLX14TI thanks to its small size and its modest weight is suitable to be installed on any type of boat whether for work or recreational use.

#### TECHNICAL CHARACTERISTICS VETUS GLX14TI

Phase type: Three-phase  
Maximum three-phase power (KW): 11,2  
Maximum three-phase power (KVA): 14  
Fuel: Diesel  
Voltage: 230 V / 400 V  
Frequency: 50 Hz  
Engine: M4.45  
Cooling: Water  
Engine RPM: 1500 rpm  
Starting: Automatic  
Acoustic power: 57 dB (A)  
Protection class: IP 55  
Length: 1172 mm  
Width: 659 mm  
Height: 641 mm  
Weight: 395 Kg

Are you looking for a generator for boats with different technical characteristics? [Here](#) you can find the whole range of VETUS or other brands specializing in this field.

Images and technical data are not binding and may be subject to revision by the supplier.

## Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	11.2
Maximum power three phase (KVA)	14
Fuel	Diesel
Frequency (Hz)	60
Voltage (V)	230 / 400
Engine	M4.45
Emissions Regulations	Non Emissionati
Engine rpm (rpm)	1500
Starting system	Electric
Cooling	Water
Alternator	Synchronous, brushless
Acoustic power	57 dB (A)
Length (mm)	1172
Width (mm)	659
Height (mm)	641
Dry weight (Kg)	395
Product type	Generator
Voltage regulator	AVR