



BLACK+DECKER BXGNI950E SINGLE PHASE INVERTER GENERATOR 0,75 KW

Reference: BXGNI950E

BLACK+DECKER BXGNI950E 0,75KW GENERATOR

BLACK+DECKER BXGNI950E is a 0,75KW Single Phase Generator with a 40cc 4-stroke gasoline engine, compact and easy to use.

The BLACK+DECKER BXGNI950E Generator is equipped with an alternator with AVR regulation, and is ideal for all electronic devices thanks to the Inverter technology. The BLACK+DECKER BXGNI950E is the lightest generator on the market at 9kg.

The BLACK+DECKER BXGNI950E Generator is equipped with manual recoil starter, in addition this generator has a low fuel consumption, in fact rieshe to ensure an autonomy of 4.5 hours at full load.

BLACK+DECKER BXGNI950E is easily adaptable to various uses such as homes, mobile homes, campsites, hobbies, construction sites, etc..

Thanks to the inverter technology and the AVR voltage regulator of the latest generation, the generator is super silenced, BLACK+DECKER BXGNI950E in fact has a noise emission of only 87 dB (A).

The BLACK+DECKER BXGNI950E Generator is equipped with a front panel consists of 1 Schuko socket with 230V power supply with pure sine wave, 1 cigar lighter and 2 USB 5V DC sockets.

TECHNICAL CHARACTERISTICS BLACK+DECKER BXGNI950E:

Phase type: Single phase
Maximum power: 0,9 KW
Continuous power: 0,75 KW
Fuel: Gasoline
Voltage: 230 V
Frequency: 50 Hz
Engine: 4 Strokes 40 cc
Starting: Manual recoil starter
Voltage regulator: AVR
Tank capacity: 2.1 Lt
Autonomy: 4.5 h at 100% load
Length: 425 mm
Width: 245 mm
Height: 370 mm
Weight: 9 Kg

Discover the full range of [generator](#) brand BLACK+DECKER or other top brands, browse our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	0.9
Continuous power single phase (KW)	0.75
Maximum power single phase (KVA)	0.9
Continuous power single phase (KVA)	0.75
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Engine	4 stroke
Emissions Regulations	Stage 5
Starting system	Pull starter with recoil
Engine capacity (cm ³)	40
Fuel tank capacity (L)	2.1
Running time (h)	4.5
Acoustic power	87 dB(A)
Length (mm)	425
Width (mm)	245
Height (mm)	370
Dry weight (Kg)	9
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	AVR + Inverter