



BLACK+DECKER BXGNP6510E SINGLE PHASE GENERATOR 6KW

Reference: BXGNP6510E

BLACK+DECKER BXGNP6510E 6KW GENERATOR

The BLACK+DECKER BXGNP6510E is a 6KW Single Phase Generator with a 420cc 4-stroke gasoline-powered engine that is compact and easy to use.

The BLACK+DECKER BXGNP6510E features an AVR regulated alternator, perfect for use with power tools, gardening, outdoor activities or as an emergency generator.

The BLACK+DECKER BXGNP6510E single-phase generator is equipped with electric start and has a low fuel consumption and an extremely large tank, capable of holding up to 33l, thanks to these features the generator guarantees an autonomy of 11 hours at full load.

BLACK+DECKER BXGNP6510E thanks to its only 91kg and a body equipped with handles and wheels, will be extremely easy to handle and use for any activity you want to assign this generator.

The BLACK+DECKER BXGNP6510E single-phase generator is equipped with a frontal electric panel composed of 1 32A 3P socket, 1 Schuko socket with 230V pure sine wave power supply, 1 Voltmeter and a 12 V DC socket.

TECHNICAL CHARACTERISTICS BLACK+DECKER BXGNP6510E:

Phase type: Single phase
Maximum power: 6.5 KW
Continuous power: 6 KW
Fuel: Gasoline
Voltage: 230 V
Frequency: 50 Hz
Engine: 4 Stroke 420 cc
Starter: Electric with battery
Voltage regulator: AVR
Tank capacity: 33 Lt
Autonomy: 11 h at 100% load
Length: 750 mm
Width: 575 mm
Height: 620 mm
Weight: 91 Kg

Discover the full range of [generator](#) brand BLACK+DECKER or other top brands, browse our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

The BLACK+DECKER BXGNP3000E features an AVR regulated itth power tools, gardening, outdoor activities or as an emergency generator.

...

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	6.5
Continuous power single phase (KW)	6
Maximum power single phase (KVA)	6.5
Continuous power single phase (KVA)	6
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Engine	4 stroke
Emissions Regulations	Stage 5
Starting system	Electric
Engine capacity (cm ³)	420
Fuel tank capacity (L)	
Running time (h)	11
Length (mm)	750
Width (mm)	575
Height (mm)	620
Dry weight (Kg)	91
Silenced	No
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	AVR