



## MASE VS 12.6 DV MARINE GENERATOR DUAL VOLTAGE 12KW

Reference: VS 12.6 DV

### MASE VS12,6 DV SINGLE-PHASE MARINE GENERATOR 12KW DUAL VOLTAGE

Generator marine DUAL VOLTAGE MASE VS12,6 DV equipped with a Kubota D902 EPA engine with Diesel power supply and variable speed regulation, capable of delivering a power of 12KW.

The MASE VS12,6 DV marine generator is designed with a soundproof cabin that makes it **supersilenced**. The marine generator is built with Kubota diesel-powered engine and permanent magnet alternator with air/water cooling. With its small size, it is also suitable on small boats.

The MASE VS12,6 CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. MASTER CBU 93x93mm (3.66x3.66 in) very compact module, with multiple functions for complete monitoring of the marine generator MASE VS12,6:

The sound-proof cabin of the MASE generator has been realized with painted marine aluminum panels, combining an innovative design with a very high resistance to external agents. Thanks to its structure, a low weight and an excellent accessibility to the internal compartment are guaranteed, making maintenance operations easy, even with installations carried out in narrow spaces.

#### TECHNICAL FEATURES MARINE GENERATOR MASE VS12,6 DV

Phase Type: Single Phase  
Power continuous use: 12 KW  
Fuel: Diesel  
Voltage: 230 V / 240 V  
Frequency: 50/60 Hz  
Engine: Kubota D902, 4 Strokes  
Mechanical power: 18 Hp  
Number of cylinders: 3  
Displacement: 898 cc  
Bore x stroke: 72 x 72,6 mm  
Speed governor: Electric with actuator  
Engine rpm: 2100 ÷ 3150 rpm  
Acoustic power: 54 dBA @ 7 m  
Length: 730 mm  
Width: 468 mm  
Height: 555 mm  
Weight: 192 Kg

If you are looking for another generator like the MASE then you can browse the entire catalog of [marine generators](#).

Images and technical data are not binding.

## Technical Sheet

Phase	Single phase
Continuous power single phase (KW)	12
Fuel	Diesel
Frequency (Hz)	50 / 60
Voltage (V)	230 / 240
Engine	Kubota D902
Engine rpm (rpm)	2100 ÷ 3150
Speed governor	Electronic
Engine capacity (cm <sup>3</sup> )	898
Number cylinders	3
Oil capacity (L)	3.8
Cooling	Air / water (Intercooler W/A)
Inyección	Indirect
Alternator	Permanent magnets
Bore x stroke (mm)	72 x 73.6
Lubrication	Forced
Acoustic pressure	54 dB(A) at 7 m
Length (mm)	730
Width (mm)	468
Height (mm)	555
Dry weight (Kg)	192
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	No
Engine manufacturer	Kubota