



GREEN POWER GP 17000XM/LE SINGLE-PHASE DIESEL GENERATOR ELECTRIC START 16,3KVA

Reference: 00139X

GREEN POWER GP 17000XM/LE SINGLE-PHASE DIESEL GENERATOR ELECTRIC START 16,3KVA

The generator GREEN POWER GP 17000XM/LE single-phase, is equipped with a KOHLER KD 625-2 engine powered by Diesel, and is complete with capacitor voltage regulator (**AVR optional**).

GREEN POWER GP 17000XM/LE features a large 10-liter fuel tank and low fuel consumption, only 4 liters/hour at 75% load for up to 2.5 hours of operation. Extremely practical sockets and controls make starting and operating the generator easy and quick.

The alternator of the generator is the LINZ E1C13MD model (or equivalent primary brand) and is synchronous, single phase, with brushes and with class H insulation, in addition it is equipped with a voltage regulator. The generator is ducted with a practical electric start system, so you can start the unit without any effort.

The generator is compact and convenient to maneuver and carry thanks to its compact size, as well as practical tubular handles. In addition, it is equipped with a practical and convenient electric start system, so that it can be put into operation quickly and easily.

The GREEN POWER GP 17000XM/LE generator is equipped with a high-performance KOHLER KD 625-2 engine that allows this machine to deliver a maximum single-phase power of 16.3KVA.

The electric control panel of the GREEN POWER GP 17000XM/LE is composed of:

- Sockets: 1 x 63A 3P 230V / 1 x 16A 3P 230V
- Voltmeter
- Starting key
- Hour meter
- Ammeter
- Frequency meter
- Low oil pressure Led
- Mains presence Led
- Circuit breaker + differential

TECHNICAL FEATURES GREEN POWER GP 17000XM/LE

Phase Type: Single Phase
Continuous Use output: 15 KVA / 15 KW
Maximum output: 16.3 KVA / 16.3 KW
Motor: KOHLER KD 625-2
Motor RPM: 3000 rpm

Emissions Standard: Non-Emitting
Firing: Electric
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz
Socket panel: 1 x 63A 3P 230V / 1 x 16A 3P 230V
Tank capacity: 10 l
Run time at 75% load: 2.5 h
Consumption at 75% load: 4 Lt/h
Length: 1200 mm
Width: 620 mm
Height: 970 mm
Dry weight: 253 Kg

Are you looking for a generator with different technical features? [HERE](#) you can find the area dedicated to GREEN POWER generators or other specialized brands.

Images and technical data are not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	16.3
Continuous power single phase (KW)	15
Maximum power single phase (KVA)	16.3
Continuous power single phase (KVA)	15
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	1 x 63A 3P 230V / 1 x 16A 3P 230V
Engine	Kohler KD 625/2
Emissions Regulations	Stationary Use
Engine rpm (rpm)	3000
Starting system	Elettrico
Engine capacity (cm ³)	1248
Number cylinders	2
Cooling	Air
Alternator	LINZ E1C13MD
Poles	2
Fuel tank capacity (L)	10
Consumption (L/h)	4 al 75% del carico

Running time (h)	2.5 at 75% of the load
Length (mm)	1200
Width (mm)	620
Height (mm)	970
Dry weight (Kg)	253
Silenced	No
Super silenced	No
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	Capacitor / AVR (optional)
Engine manufacturer	Kohler