



HONDA OUTBOARD BF 135D LCRU SPORTY WHITE LONG SHAFT 135 HP

Reference: BF 135D LCRU SPORTY WHITE

HONDA OUTBOARD BF 135D LCRU SPORTY WHITE LONG SHAFT 135 HP

Honda BF 135D LCRU SPORTY WHITE are outboard engines perfect for professional use, they are reliable, compact and lightweight complete with PGM-FI electronic fuel injection system.

HONDA BF 135D LCRU are outboards optimized to offer more power for a wide range of different boats. The firm, smooth power this advanced technology offers is sure to put a smile on your face as you venture out to sea.

HONDA BF 135D LCRU SPORTY WHITE outboard is a large displacement engine that delivers superior torque and top speed and is capable of delivering power and performance for both professional and competition use.

Honda BF 135D LCRU SPORTY WHITE is equipped with the special ECOmo low-blend combustion control system that ensures significant fuel economy from RPM and performance. Much less fuel is consumed once rpm is reached. ECOmo is a poor-blend combustion control system that delivers significant fuel savings from RPM and performance.

Honda's dual-stage air induction works with a shuttle valve built into the Variable Air Intake (VAI) manifold. When fully open, this valve changes the resonance and airflow generating more torque at low rpm. When the throttle valve is fully open and revs increase, the cooling valve closes and creates a direct airflow to the engine. This delivers more power above 3500 rpm. Combined with the BLAST™ system, you get a disruptive effect.

The HONDA BF 135D LCRU Boasting LoW Speed Torque (BLAST) system significantly improves performance and acceleration by automatically anticipating injection times and increasing the air/fuel ratio.

TECHNICAL FEATURES HONDA BF 135D LCRU SPORTY WHITE

Net Power (kW): 99.3
Net Power (Hp): 135
Displacement: 2354 cm³
Shaft Length: Long
Starter: Electric
Ignition system: Electronic PGM-IG
Fuel supply: PGM-FI (Programmed electronic injection)
Engine trim and lift: Electric
Bore x stroke: 89 x 96 mm
Engine: Honda DOHC, 4-stroke
Number of cylinders: 4 in line
Speed at full throttle (rpm): 5000-6000
Cooling system: Water
Battery charge capacity (A): 40
Propeller rotation: counter-rotating

Transom height (mm): 508
Length (mm): 845
Width (mm): 580
Height (mm): 1665
Dry weight (Kg): 214

Are you looking for an outboard with different technical characteristics? [Here](#) you can find the entire Honda range or other brands specializing in the sector.

The images are purely indicative.

Technical Sheet

Fuel	Gasoline
Engine	DOHC, 4 tempi
Ignition	Electronic PGM-IG
Starting system	Electric
Engine capacity (cm ³)	2354
Number cylinders	4
Cylinders' position	In line
Cooling	Water (with thermostat)
Bore x stroke (mm)	87 x 99
Rpm at full throttle (rpm)	5000 - 6000
Appearance and engine lifting	Electric
Transom height (mm)	508
Net power (kW)	99.3
Length (mm)	845
Width (mm)	580
Height (mm)	1665
Dry weight (Kg)	214
Shaft Length	L
Controls	Remote