



MOSA GE 3900 SINGLE-PHASE GASOLINE GENERATOR STAGE V AVR 3.3 KW

Reference: CR000011

MOSA GE 3900 SINGLE-PHASE GASOLINE GENERATOR STAGEV AVR 3.3 KW

MOSA GE 3900 is a single-phase generator, equipped with GENKINS 225 230M StageV engine supplied by Gasoline, delivers a maximum power of 3,3KW, complete with AVR voltage regulator.

MOSA GE 3900 is equipped with self-winding, equipped with AVR voltage regulator that allows the connection with sensitive electronic devices (computers, smartphones, TV) without the risk of damaging them due to sudden changes in the supply current.

The MOSA GE 3900 generator provides reliable power for home, work and leisure environments, safely appliances and other electronic devices. Convenient sockets and controls make starting and operating the generator easy and fast.

The MOSA GE 3900 generator has a convenient double-curved handle and integrated tow dolly for easy mobility and storage. MOSA GE 3900 has a completely steel structure and a tank with a maximum capacity of 15 liters that allows the generator to work for about 6.5 hours at full load.

STAGEV EMISSION STANDARDS

MOSA GE 3900 is equipped with STAGEV "mobile" motorization, as required by European Regulation 2016/1628. These new motorizations allow to exponentially reduce the emissions of particulate matter and nitrogen oxides delivered by the generator into the environment, and ensure a 200% reduction in environmental impact compared to standard motorizations.

TECHNICAL CHARACTERISTICS MOSA GE 3900

Type of phase: Single phase
Power continuous use: 3 KVA / 3 KW
Maximum power 3.3 KVA / 3.3 KW
Motor: GENKINS 225 230M
Engine speed: 3000 rpm
Emissions standard: StageV
Starting: Reel-to-reel with auto-winder
Fuel: Gasoline
Voltage: 230 V
Frequency: 50 Hz
Socket panel: 2 x schuko 16A 230 V
Tank capacity: 15 l
Fuel consumption (100% PRP): 2.3 l/h
Autonomy: 6.5 h
Acoustic pressure: 71 dB(A) @ 7 m
Voltage regulator: AVR

Length: 615 mm
 Width: 470 mm
 Height: 480 mm
 Dry weight: 45 Kg

Are you looking for a generator with different technical characteristics? [HERE](#) you can find the area dedicated to MOSA generators or other specialized brands.

Images and technical data are not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	3.3
Continuous power single phase (KW)	3
Maximum power single phase (KVA)	3.3
Continuous power single phase (KVA)	3
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	2 x schuko 16A 230 V
Engine	GENKINS 225 230M
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Starting system	Pull starter with recoil
Fuel tank capacity (L)	15
Consumption (L/h)	2.3 at 100% of the load
Running time (h)	2,5
Acoustic pressure	71 dB(A) at 7 m
Length (mm)	615
Width (mm)	470
Height (mm)	480
Dry weight (Kg)	45
Silenced	Yes
Super silenced	No
ATS Switch device	No ATS
Voltage regulator	AVR