



PRAMAC LIFTER GS/P 25 Digital Weigh Pallet Truck 1185x555

Reference: TJB530VY100

PRAMAC LIFTER GS/P 25 PALLET TRUCK 1185x555 WITH DIGITAL WEIGH

The PRAMAC LIFTER GS/P 25 Digital Weigh Pallet Truck 1185x555 is an innovative and sturdy solution for simultaneously weighing and transporting your goods, streamlining storage and shipping tasks to be faster, simpler, and more efficient. This PRAMAC LIFTER GS/P 25 can be outfitted with additional features like a printer or USB interface. Thanks to its four load cells, it achieves exceptional precision and functionality, making it perfect for verifying incoming merchandise, preventing overloads, and calculating shipping weights.

Featuring a large 6-digit LCD display, it delivers accurate and precise weight measurements in both kilograms and pounds. The software supports net, gross, tare weighing, unit counting, and the summation and counting of multiple loads. Weight readings are presented in 1 kg/lb increments with an accuracy of 0.05%.

Designed with a robust double frame, it includes a lower fork and an overlying counter fork, each housing two load cells. This design ensures even load distribution and maintains high accuracy in weight measurement, even when facing impacts or unbalanced loads.

The PRAMAC LIFTER GS/P 25 pallet truck comes complete with a rechargeable battery and charger, offering up to 50 hours of operational autonomy.

Technical Features of the PRAMAC LIFTER GS/P 25:

Propulsion Type: Manual
Lifting Mechanism: Manual
Drive System: Push Assistance
Front Tires: POLY.I./NYLON
Rear Tires: POLY.I.
Scale Model: DFW 06 XPCA
Battery Life: 50 hours
Scale Accuracy: 0.05%
Battery Voltage: 6 V
Battery Capacity: 4 Ah
Front Track Width: 155 mm
Rear Track Width: 375 mm
Lift Height: 115 mm
Drawbar Height (max): 1185 mm
Drawbar Height (min): 710 mm
Fork Height (lowered): 90 mm
Overall Length: 1596 mm
Drive Unit Length: 411 mm
Overall Width: 555 mm

Fork Dimensions (Thickness): 60 mm
 Fork Dimensions (Width): 180 mm
 Fork Length: 1185 mm
 Fork Width: 555 mm
 Mid-Step Clearance: 30 mm
 Pallet Storage Aisle (800x1200): 2085 mm
 Turning Radius: 1426 mm
 Capacity: 2500 kg
 Service Weight with Battery: 117 Kg

This comprehensive design and technical specification highlight the PRAMAC LIFTER GS/P 25 PALLET TRUCK 1185x555 is capability to meet industrial needs for precise and efficient material handling and weighing.

Are you looking for a pallet truck with different technical characteristics? [HERE](#) you can find the area dedicated to PRAMAC LIFTER pallet trucks or other specialized brands.

Pictures and technical data are not binding.

...

Technical Sheet

Drive	Manual
Operator type	Pedestrian
Load capacity (Kg)	2500
Load centre distance (mm)	600
Load axle to end forks (mm)	975
Wheel base (mm)	1250
Service weight (Kg)	117
Axle load, laden rear (Kg)	1836
Axle load, laden front (Kg)	781
Axle load, unladen front (Kg)	71
Axle load, unladen rear (Kg)	46
Tyres: front wheels	POLY.I. / NYLON
Tyres: rear wheels	POLY.I.
Diameter steering wheels (mm)	200
Width steering wheels (mm)	55
Diameter load rollers (mm)	82
Width load rollers (mm)	60
Quantity rear wheels	2
Rear balancing axle	No
Tread front (mm)	155

Tread rear (mm)	375
Lift height (mm)	115
Height of tiller in drive position max (mm)	1185
Height lowered (mm)	90
Overall length (mm)	1596
Length to face of forks (mm)	411
Overall width (mm)	555
Thickness fork (mm)	60
Width fork (mm)	180
Length fork (mm)	1185
Distance between fork arms (mm)	555
Ground clearance at centre of wheelbase (mm)	30
Aisle width (mm)	2085
Turning radius (mm)	1426
Lifting speed laden (strokes)	12
Lifting speed unladen (strokes)	12
Weigher	Yes