



WHISPER W-SQ PRO 18 MOBILE GENERATOR 18KVA SINGLE-PHASE/THREE-PHASE STAGEV AVR

Reference: 41208320-STV

WHISPER W-SQ PRO 18 MOBILE GENERATOR 18KVA SINGLE-PHASE/THREE-PHASE STAGEV AVR

WHISPER W-SQ PRO 18 Single-phase / Three-phase mobile generator with Kubota V2203 M BG StageV diesel engine delivers a power of 18KVA, **complete with AVR voltage regulator**.

The WHISPER W-SQ PRO 18 vehicular generator is designed with a soundproofing cabin that makes it **supersilent**. The excellent accessibility to the internal compartment makes maintenance operations easier, even with the generator set installed in confined spaces.

It allows easy access for maintenance to all internal components, and is also equipped with self-shutdown safety systems for low oil pressure and high engine or exhaust gas temperatures. The WHISPER W-SQ PRO 18 generator is equipped with a soundproofing cabin which makes it super silent, with a sound emission of 55dB(A). The soundproofing booth in painted aluminum is extremely light and highly resistant to external agents.

Thanks to the electrical stabilizer of AVR technology that works at very low distortion, WHISPER W-SQ PRO 18 delivers constant current loads without voltage peaks that could damage electrical and electronic devices. A further advantage of the inverter is that it works with variable motor revolutions, based on the need for the current to be supplied, optimizing fuel consumption, gas emissions and wear of the mechanical parts in the best possible way.

VOLTAGE REGULATOR

WHISPER W-SQ PRO 18 is equipped with AVR which, mounted on an alternator, allows a generator set or current generator to stabilize the output voltage and does not damage the connected sensitive electronic devices. In the modern market, inverters have made a huge step forward in terms of technology and performance; for this reason the best brands of generator sets and alternators in the world are moving along this line of thought.

An important feature of our SQ Pro range is the 7 inch color touch screen control which will be linked with WhisperCare. This allows complete control of the W-SQ Pro 18 generator system. A perfect solution for instantaneous and/or historical information with an attractive display.

STAGEV / EPA TIER 4 EMISSION REGULATIONS

WHISPER W-SQ PRO 18 is equipped with a "mobile" STAGEV engine, as required by European Regulation 2016/1628. These new engines make it possible to exponentially reduce the particulate and nitrogen oxide emissions released by the generator into the environment, and guarantee a 200% reduction in environmental impact compared to standard engines.

DeepSea Control Features (Optional)

- Group parallel functionality included (ask for more details)
- Provides secure and easy offsite monitoring (optional)
- Allows you to quickly resolve fault conditions and provide instant system information to aid in preventive maintenance
- Graphic displays showing, graphs, meters, power display, graphs and engine status information
- The information is displayed clearly and in a universal format for all users
- Language of your choice

Technical characteristics WHISPER W-SQ PRO 18:

Phase Type: Single Phase/Tri-Phase
 Maximum Power: 18 KVA / 14.5 KW
 Continuous Power: 17.5 KVA / 14 KW
 Fuel: Diesel
 Voltage: 230/400 V
 Frequency: 50 Hz (60 Hz)
 Engine: Kubota V2203 M BG
 Emission standard: StageV certified / EPA Tier 4
 Number of cylinders: 4
 Engine RPM: 1500 rpm
 Acoustic power: 55 dBA
 Voltage regulator: AVR
 Length: 1220 mm
 Depth: 719 mm
 Height: 754 mm
 Net Weight: 495 kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER vehicle generators or other specialized brands.

Non-binding images and technical data.

Technical Sheet

Phase	Single phase / Three phase
Maximum power three phase (KW)	14.5
Continuous power three phase (KW)	14
Maximum power three phase (KVA)	18
Continuous power three phase (KVA)	17.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Engine	Kubota V2203 M BG
Emissions Regulations	StageV Certified / EPA Tier 4
Engine rpm (rpm)	1500
Number cylinders	4
Cooling	External radiator cooling
Acoustic pressure	55 dB(A)
Length (mm)	1220

Width (mm)	719
Height (mm)	754
Dry weight (Kg)	495
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	AVR
Engine manufacturer	Kubota
