



BLACK+DECKER BXGNi4000E GENERATOR 4KW SINGLE PHASE INVERTER STAGEV

Reference: BXGNi4000E

BLACK+DECKER BXGNi4000E GENERATOR 4KW SINGLE PHASE INVERTER STAGEV

The BLACK+DECKER BXGNi4000E generator is equipped with a 223 cc STAGEV 4-stroke petrol engine, and is capable of delivering a maximum power of 4KW, complete with **Inverter voltage regulator**.

The starting system of this group is the electric key type with 12 V battery and alternatively also with manual recoil starter. As a home or office generator set, this generator set is perfect for both for both hobby and professional use, thanks to the reliable petrol-powered engine and all the excellent quality components it is made of.

BLACK+DECKER BXGNi4000E thanks to its only 42 kg and an extremely compact body, the use and handling of this machine will be extremely simple. Thanks to its characteristics, it easily adapts to various uses such as homes, mobile plants, campsites, hobbies, construction sites, etc.

The BLACK+DECKER BXGNi4000E single-phase generator is equipped with a front electrical panel consisting of 2 Schuko sockets with 230V power supply with pure sine wave, 1 cigar lighter and 2 5V direct current USB sockets.

The advantages of Inverter technology

When the generating set is turned on, the engine idles, as soon as electricity above a certain point is drawn, the engine automatically accelerates so as to cover the required electricity consumption. This leads to a substantial reduction in consumption of fuel!

STAGEV EMISSION REGULATIONS

The GENMAC POWERSMART GR8000EiN is equipped with a "mobile" STAGEV engine, as required by European Regulation 2016/1628. These new engines make it possible to exponentially reduce the particulate and nitrogen oxide emissions released by the generator into the environment, and guarantee a 200% reduction in environmental impact compared to standard engines.

TECHNICAL FEATURES BLACK+DECKER BXGNi2200E:

Phase type: Single-phase
Maximum power: 3.9 KW
Continuous power: 3.5 KW
Fuel: Petrol
Voltage: 230 V
Frequency : 50 Hz
Engine: 4-stroke 223 cc
Emissions standard: StageV
Starter: Electric / Manual recoil

Voltage regulator: Inverter
 Socket panel: 2 x Schuko | 2 x Usb | 1 x 12 V cigarette lighter
 Tank capacity: 8.8 Lt
 Autonomy: 7 h at 50% load
 Consumption: 1.25 l/h at 50% load
 Sound pressure : 59 dBA @ 7m
 Length: 665 mm
 Width: 465 mm
 Height: 535 mm
 Weight: 42 Kg

Discover the entire range of [generator of current](#) branded BLACK+DECKER or other of the best brands, browsing through our catalog to find the one that best suits your technical needs.

The images and technical data are not binding and can be subject to revisions by the manufacturer.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	4
Continuous power single phase (KW)	3.5
Maximum power single phase (KVA)	4
Continuous power single phase (KVA)	3.5
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Engine	4 stroke
Emissions Regulations	Stage 5
Starting system	Manual / Electric
Engine capacity (cm ³)	223
Fuel tank capacity (L)	8.8
Consumption (L/h)	1.25 at 50% of the load
Running time (h)	7 at 50% load
Acoustic pressure	59 dB(A) at 7 m
Length (mm)	665
Width (mm)	465
Height (mm)	535
Dry weight (Kg)	49
Silenced	Yes
Super silenced	Yes

Product type	Generator
Voltage regulator	Inverter
