



CUMMINS ONAN MDKDP MARINE GENERATOR 13,5 KW AVR

Reference: A047L450

CUMMINS ONAN MDKDP MARINE GENERATOR 13,5 KW AVR

CUMMINS ONAN MDKDP single-phase marine generator set with diesel Kubota V2203 engine delivers a power of 13,5KVA, **complete with AVR voltage regulator**.

The CUMMINS ONAN MDKDP marine generator designed with a soundproofing cabin that makes it **supersilent**. The excellent accessibility; the internal compartment makes it more comfortable; maintenance operations are facilitated even with the generator set installed in confined spaces.

The Cummins Onan MDKDP 13.5kW AVR marine generator set is the perfect choice for you. a reliable and efficient fuel system specifically designed for use in boating and marine applications. This generator set is designed for powered by a high quality Cummins diesel engine, which ensures greater reliability and reliability. and superior energy efficiency.

The AVR (Automatic Voltage Regulator) system integrated in this generator set ensures a stable and reliable output voltage, without fluctuations, thus protecting the sensitive electronic devices on board from instability. of the mains voltage. Furthermore, the water cooling system guarantees silent and reliable operation, keeping the engine temperature always under control.

The Cummins Onan MDKDP is the best choice for the designed to ensure reliable and safe operation under any condition of use. Rugged and heavy-duty construction ensures increased durability, even in harsh marine environments. Furthermore, the presence of an overload and short-circuit protection system ensures safe and reliable operation.

The advanced technology of this generator set also ensures superior energy efficiency, reducing fuel costs and exhaust emissions.

TECHNICAL FEATURES CUMMINS ONAN MDKDP

Phase Type: Single Phase
Single-phase Power: 13.5 KVA / 13.5 KW
Voltage: 115V/230V
Frequency: 50 Hz
Motor: Kubota V2003
Rpm: 1500 rpm
Emissions Standards: Stage III / EPA
Power Supply: Diesel
Cooling: Liquid
Cylinders: 4
Bore x Stroke: 83 x 92.4 mm
Starter: Electric 12V
Fuel Consumption: 3.6 Lt/h at 75% load

Voltage regulator: Digital AVR
 Sound pressure: 65 dB(A) at 1 meter
 Length: 1127 mm
 Width: 602 mm
 Height: 698 mm
 Weight: 408 kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to CUMMINS ONAN vehicle generators or other specialized brands.

Images and non-binding technical data.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	13.5
Maximum power single phase (KVA)	13.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	115 / 230
Engine	Kubota V2003
Emissions Regulations	Stage III / EPA
Engine rpm (rpm)	1500
Starting system	Elettrico
Number cylinders	4
Cooling	Water
Poles	4
Bore x stroke (mm)	83 x 92.4
Consumption (L/h)	4 al 75% del carico
Acoustic pressure	65 dB(A) a 1 m
Length (mm)	1033
Width (mm)	566
Height (mm)	593
Dry weight (Kg)	408
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	AVR
Engine manufacturer	Kubota