

WHISPER PICCOLO15 M-GV15 SINGLE-PHASE MARINE GENERATOR 15KVA INVERTER STAGE V

Reference: 49007005



WHISPER PICCOLO15 M-GV15 SINGLE-PHASE MARINE GENERATOR 15KVA INVERTER STAGE V

WHISPER PICCOLO15 M-GV15 Single-phase marine generator with Kubota D1105 StageV diesel-powered engine delivering a power of 15KVA, **complete with INVERTER voltage regulator.**

The marine WHISPER PICCOLO15 designed with a soundproofing cabin that makes it **supersilent**. The excellent accessibility; the internal compartment makes it more comfortable; maintenance operations are facilitated even with the generator set installed in confined spaces.

The robust and durable construction of the generator ensures a longer life even in harsh marine environments, while the intelligent control system ensures superior energy efficiency, reducing fuel costs and exhaust emissions.

Thanks to the electrical stabilizer of the Inverter technology that works with very low distortion, WHISPER M-GV15 delivers constant current loads without voltage peaks that could damage electrical and electronic devices. Another advantage of the inverter is; that of working with variable engine revolutions, based on the need; of current to be supplied, optimizing fuel consumption, gas emissions and wear of mechanical parts.

PICCOLO 15 WHISPER is the perfect choice. a combination of a diesel engine with integrated alternator and an inverter, hence the name Genverter. The key feature of this technology is; the quality; of the output combined with the capacity of the of peak power. Within a certain speed window; of rotation of the diesel engine, the PMG provides the quality; of proper wattage to operate electrical appliances, such as tools, compressors, washing machines, air conditioners, electric cooking appliances, and various other AC appliances.

The custom shock mounts, combined with the acoustic cabinet, result in a super-quiet and virtually vibration-free setup. All parts needed for maintenance are located on one side of the Genverter. The effective mounting of the motor inside the casing results in an audible noise level of less than 56 dBA and virtually no vibration.

VOLTAGE REGULATOR

PICCOLO 15 WHISPER is the perfect choice. equipped with an inverter which, mounted on an alternator, allows a generator set or current generator to stabilize the output voltage and does not damage the connected sensitive electronic devices. In the modern market, inverters have made a huge step forward in terms of technology and performance; for this reason the best brands of generator sets and alternators in the world are moving along this line of thought.

STAGEV EMISSION REGULATIONS

The WHISPER PICCOLO15 M-GV15 marine generator is designed to be used as a marine generator. equipped with a "mobile" STAGEV engine, as required by European Regulation 2016/1628. These new engines make it possible to exponentially reduce the

emissions of particulate matter and nitrogen oxides supplied by the generator into the environment, and guarantee a 200% reduction in environmental impact compared to standard engines.

Technical characteristics WHISPER PICCOLO15 M-GV15

Phase Type: Single Phase
Maximum Power: 15.6 KVA / 12.5 KW
Continuous Power: 15 KVA / 12 KW
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz
Engine: Kubota D1105
Emissions standard: Stage V / EPA / Tier 4
Number of cylinders: 3
Displacement: 1123 cc
Engine rpm: 2400 / 2800 rpm Adjustable
Fuel consumption: 5.6 l/h at 100% load
Acoustic power: 54 dBA @ 7 m
Voltage regulator: Inverter
Length x width x height (generator): mm 882 x 570 x 690
Length x width x height (PMG): mm 568 x 347 x 198
Dry weight (generator + PMG): 210 + 20 Kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER marine generators or those of other specialized brands.

Images and non-binding technical data.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	12.5
Continuous power single phase (KW)	12
Maximum power single phase (KVA)	15.6
Continuous power single phase (KVA)	15
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Engine	Kubota D1105
Emissions Regulations	Stage V / EPA / Tier 4
Engine rpm (rpm)	2400 / 2800 Regolabile
Engine capacity (cm ³)	1123
Number cylinders	3
Cooling	Water
Consumption (L/h)	5.6 al 100% del Carico
Acoustic pressure	56 dB(A) at 7 m
Length (mm)	882

Width (mm)	570
Height (mm)	690
Dry weight (Kg)	210
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	Inverter
Engine manufacturer	Kubota
