

WHISPER W-SQ PRO 32 VEHICULAR GENERATOR 32KVA SINGLE/THREE PHASE AVR

Reference: 41201420



WHISPER M-SQ PRO 32 VEHICULAR GENERATOR 32KVA SINGLE/THREE PHASE AVR

WHISPER W-SQ PRO 32 Single/three-phase vehicular generator with diesel-powered Mitsubishi S4S engine, delivers 32KVA power, complete with **AVR and EBS voltage regulator**.

The WHISPER W-SQ PRO 32 vehicular generator comes standard with a rugged sound box with anti-corrosion metal plating and heavy insulation material for optimal sound reduction. The acoustic enclosure has easy access to all sides of the generator and provides access to all maintenance-related components from one side.

The WHISPER W-SQ PRO 32 is equipped with **DSE 7420 MKII Control Module** that monitors speed, frequency, voltage, current, oil pressure, coolant temperature, and fuel level; the modules display alerts, shutdown, and engine status. All information is clear and easy to read on the backlit LCD screen. The module offers a range of inputs, outputs and engine protections, so the system can easily adapt to a wide range of applications.

With the AVR technology's electrical stabilizer working at very low distortion, WHISPER W-SQ PRO 32 delivers constant current loads without voltage spikes that could damage electrical and electronic devices. Further advantage of the 'inverter, is to work with variable motor revolutions, depending on the need for current to be delivered, optimizing fuel consumption, gas emission and wear and tear of mechanical parts as best as possible.

VOLTAGE REGULATOR

WHISPER W-SQ 32 is equipped with AVR, which, when mounted on an alternator, allows a generator set or generator to stabilize the output voltage and does not ruin the connected sensitive electronic equipment. In the modern market, inverters have taken a huge step forward in technology and performance; therefore, the world's top genset and alternator brands are moving along this line of thinking.

An important feature of the W-SQ 32 range is the 7-inch color touch screen control that will be linked with WhisperCare. This allows complete control of the system. A perfect solution for instant and/or historical information with an attractive display.

Technical features WHISPER M-SQ PRO 32:

Phase type: Single-phase / Three-phase
Maximum power: 32 KVA / 27 KW
Continuous power: 32 KVA / 27 KW
Fuel: Diesel
Voltage: 230/400 V
Frequency: 50 Hz (60 Hz)
Engine: Mitsubishi S4S
Emissions standard: Not Emissions
Number of cylinders: 4

Engine speed: 1500/1800 rpm
 Acoustic power: 58 dBA
 Fuel consumption: 6 l/h at 100% load
 Voltage regulator: AVR + EBS
 Length: 1555 mm
 Depth: : 749 mm
 Height: 805 mm
 Net Weight: 640 Kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER vehicle generators or those of other specialized brands.

Images and non-binding technical data.

Technical Sheet

Phase	Single phase / Three phase
Maximum power three phase (KW)	32
Continuous power three phase (KW)	27
Maximum power three phase (KVA)	32
Continuous power three phase (KVA)	27
Fuel	Diesel
Frequency (Hz)	50 (60 on request)
Voltage (V)	230 / 400
Engine	Mitsubishi S4S
Emissions Regulations	Not Emitted
Engine rpm (rpm)	1500/1800
Number cylinders	4
Cooling	Indirect
Consumption (L/h)	6 at 100% of the load
Acoustic pressure	58 dB(A)
Length (mm)	1555
Width (mm)	749
Height (mm)	
Dry weight (Kg)	640
Silenced	Yes
Super silenced	Yes
Product type	Generator

Voltage regulator	AVR + EBS
Engine manufacturer	Mitsubishi
