



PRAMAC GBW15P Generator Set Three-phase 11.2KW ACP Enclosure with automatic control panel

Reference: SB130TPAY02

PRAMAC GBW15P THREE-PHASE ACP GENERATOR 11.2KW

The PRAMAC GBW15P three-phase generator delivers 11.2 kW and is powered by a diesel engine running at 1500 rpm. The PRAMAC GBW15P generator is equipped with an electric start system. Its alternator comes with brushes and a compound voltage regulator. The Perkins diesel engine makes the GBW15P generator highly reliable, as it has been designed and built with top-quality materials.

Thanks to its soundproof canopy, this generator is extremely silent. In addition, it is easy to transport, install, and position thanks to its compact size. This model is ideal for emergency backup, construction sites, mobile workshops, and industrial applications. The PRAMAC GBW15P three-phase generator is suitable for outdoor use on job sites or for small professional outdoor applications.

Technical specifications of the PRAMAC GBW15P ACP Three-phase generator:

Three-phase maximum power: 11.28 kW - 14.1 kVA
Three-phase continuous power: 10.18 kW - 12.7 kVA
Fuel: Diesel
Voltage: 400 V
Frequency: 50 Hz
Engine: Perkins 403D-15G
Starting system: Electric
Fuel consumption: 3.6 L/h at 100% load
Length: 1645 mm
Width: 870 mm
Height: 1072 mm
Weight: 550 kg
Compound

Automatic control panel ACP:

Integrated panel connected to the generator, with a microprocessor-based control module that manages all command, control, and monitoring electronic circuits. Direct switching control terminal block (ACP)
No. 1 3P+N+T CEE 400V 32A

The PRAMAC GBW15P power generator is a professional diesel unit developed by Pramac, designed with features and equipment required to provide a top-class product. With its low noise level, the PRAMAC GBW15P generator is the ideal solution for use in residential areas or during off-working hours.

The GBW15P generator is equipped with a reliable Perkins diesel engine, premium-quality components, and a complete set of instrumentation.

If you are looking for a generator like the PRAMAC GBW15P THREE-PHASE unit, we recommend browsing our catalog of [land-based generators](#) to find the model that best suits your needs.

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	11.28
Continuous power three phase (KW)	10.18
Maximum power three phase (KVA)	14.1
Continuous power three phase (KVA)	12.72
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Sockets configuration	1 x 400V 32A 3P+N+T CEE
Emissions Regulations	Stationary Use
Speed governor	Mechanical
Starting system	Elettrico
Engine capacity (cm ³)	1496
Number cylinders	3
Cylinders' position	In line
Oil capacity (L)	6
Cooling	Water
Alternator	Linz E1S13MD, with brushes
Poles	4
Fuel tank capacity (L)	51
Consumption (L/h)	2.7 at 75% of the load / 3.6 at 100% of the load
Running time (h)	18.6 at 75% of the load / 14.2 at 100% of the load
Acoustic power	95 dB(A)
Acoustic pressure	66 dB(A) at 7 m
Length (mm)	1645
Width (mm)	870
Height (mm)	1072
Dry weight (Kg)	550
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	Compound

Engine manufacturer

Perkins