



PRAMAC GBW22P Generator Set ACP Three-phase 17.4KW Enclosed with automatic control panel

Reference: SB200TPAL02

PRAMAC GBW22P GENERATORE SET ACP THREE-PHASE 17.4KW

The PRAMAC GBW22P three-phase generator is equipped with a Perkins 404A-22G1 diesel engine and is capable of delivering a maximum power output of 20 kVA.

The PRAMAC GBW22P generator features electric, manual, or automatic starting with a 12 V battery, and is equipped with a Deep Sea control unit that allows you to view all engine and generator electrical parameters, functions, generator status, fully manage the unit, and display any system errors or alarms if they occur.

The PRAMAC GBW22P generator ensures efficient and quiet operation thanks to the Perkins 404A-22G1 engine, capable of delivering a maximum power of 20 kVA.

AUTOMATIC TRANSFER SWITCH (ATS) PANEL READY

The generator is pre-arranged for the use of an automatic transfer switch (ATS) panel. With this feature, you no longer have to worry about blackouts, because if the main power supply fails, the ATS panel will automatically start the generator and allow you to continue your activity without losing your work data.

Standard Equipment:

- LINZ alternators with Compound regulation
- Tilttable canopy with gas springs
- Residential-grade silencer
- Lifting hook
- Forkable base with wheels
- Engine fluids and battery
- Oil extraction piping

TECHNICAL SPECIFICATIONS PRAMAC GBW22P ACP THREE-PHASE:

- Phase type: Three-phase
- Continuous power: 19.78 kVA - 15.82 kW
- Maximum power: 21.82 kVA - 17.46 kW
- Engine: Perkins 404A-22G1
- Emission standard: Stage 0
- Engine speed: 1500 rpm
- Starting system: Electric / Automatic
- Fuel: Diesel
- Terminal voltage: 400 V
- Frequency: 50 Hz
- Voltage regulator: Compound

Socket panel: 1 x 400V CEE 32A I Terminal board
 Fuel tank capacity: 51 l
 Fuel consumption at 75% load: 3.98 l/h
 Autonomy at 75% load: 12.81 h
 Sound pressure level: 66 dB(A) @ 7 m
 Length: 1645 mm
 Width: 870 mm
 Height: 1072 mm
 Dry weight: 565 kg

Are you looking for a generator similar to the PRAMAC GBW22P THREE-PHASE but with different technical features? [CLICK HERE](#) to explore our dedicated section for PRAMAC generators or other specialized brands.

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	17.46
Continuous power three phase (KW)	15.42
Maximum power three phase (KVA)	21.82
Continuous power three phase (KVA)	19.78
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Sockets configuration	
Engine	Yanmar L70N
Emissions Regulations	Stage 0
Speed governor	Mechanical
Starting system	Elettrico / Automatico
Engine capacity (cm ³)	2216
Number cylinders	4
Cylinders' position	In line
Oil capacity (L)	10.6
Cooling	Water
Alternator	Linz E1S13MF, with brushes
Poles	4
Fuel tank capacity (L)	51
Consumption (L/h)	4 at 75% of the load / 5.3 at 100% of the load
Running time (h)	12.8 at 75% of the load / 9.7 at 100% of the load
Acoustic power	95 dB(A)
Acoustic pressure	66 dB(A) at 7 m

Length (mm)	1645
Width (mm)	870
Height (mm)	1072
Dry weight (Kg)	565
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	Compound
Engine manufacturer	Perkins