



## FENZI G4 Tank 9000LT

Reference: G4 101090

### FENZI G4 Tank 9000LT

The FENZI G4 Cisterna 9000LT is a diesel storage tank approved by the Ministry of the Interior according to the Ministerial Decree of 11/22/2017. This tank, with a capacity of 9000 liters, is the perfect choice for safe and practical diesel storage, suitable for both private needs and small vehicle fleets.

#### Main Features of FENZI G4:

The FENZI G4 Cisterna 9000LT comes equipped with a series of standard components and accessories that ensure safe and efficient operation:

**110% Containment Basin:** Provides complete protection against potential fuel leaks, containing a volume greater than that of the tank.

**Dispensing Box:** Includes a 50 or 70 lt/min 220 Volt electric pump, flow meter, 4-meter rubber hose, automatic nozzle, pump control panel, and lockable cabinet for efficient diesel dispensing.

**Cartridge Filter:** Ensures the dispensed fuel is pure, preventing impurities from entering the system.

**Various Fittings and Complete Documentation:** Each tank is supplied with all necessary fittings and documentation for safe and correct installation and use.

#### Construction and Safety of FENZI G4:

The FENZI G4 9000LT is coated with standard green paint, providing resistance to weather elements and a pleasant appearance. Safety and functionality features include:

**3" Quick Fill Cap in Bronze with Padlock:** Facilitates filling while maintaining security.

**90% Load Limitation Valve:** Prevents tank overfilling.

**1"1/2 Bronze Vent with Flame Arrestor:** Ensures safe ventilation, preventing fires.

**External Float Level Indicator:** Makes fuel level monitoring easy.

**420 mm Manhole with Bolts and Gasket:** Allows easy internal access for maintenance.

Lifting Eyes for Empty Handling: Facilitates moving the empty tank.

Bottom Drain Sleeve with Safety Cap: For periodic cleaning.

Grounding and Equipotential Connection: Ensures electrical safety during use.

External 1" Suction Fitting with Check Valve: Ensures safe fuel suction.

1" Ball Valve: Allows precise control of fuel flow.

1" Galvanized Steel Pipe for Connection to the Dispensing Unit: Complete with a 1" R1 flexible hose terminal.

#### Dispensing Options for FENZI G4 Cisterna 9000LT:

The FENZI G4 9000 liter tank is compatible with different types of dispensers, meeting various user needs. This tank offers a versatile and reliable solution for diesel management. Available dispensers include:

Box: Equipped with a 50 or 70 lt/min 220 Volt electric pump.

Cube: Provided with a 50 or 70 lt/min 220 Volt electric pump.

Columns: Available in mechanical or digital versions, ideal for refueling small users or private fleets, with flow rates of 50, 70, 90 lt/min and power supply at 220/380 Volt.

Models:

G4 E50 V

G4 E70 V

#### Available Accessories for FENZI G4 9000LT:

To enhance the customization and functionality of the tank, the following accessories are available:

Sun Protection Roof: Shields the tank from direct sun exposure.

Side Cover for the Dispenser: Provides an additional layer of protection.

Interchangeable Cartridge Filter Kit: Makes filter maintenance easier.

Extension Kit for All Pump Units: Allows extending the reach of the dispenser.

Digital Level Kit OCIO: For precise and digital fuel level monitoring.

The FENZI G4 Cisterna 9000LT is designed to offer a complete, safe, and versatile solution for diesel storage and distribution. Thanks to its quality construction and ease of use, it represents an excellent choice for various applications.

This tank ensures optimal fuel management, guaranteeing safety and efficiency.

For customizing the FENZI G4 Cisterna 9000LT, accessories such as the sun protection roof and the digital level kit OCIO are available for precise fuel monitoring.

If you are looking for a product like FENZI G4 9000LT Cistern with different characteristics, check out [HERE](#).

Images and data purely indicative.

## Technical Sheet

Tank capacity (L)	9000
-------------------	------

---

Length (mm)	3900
Width (mm)	2100
Height (mm)	259

---