



GENSET MG33SSY Generator Group StageV Single-Phase Three-Phase 33KVA

Reference: MG 35 SS-Y StageV

GENSET MG33SSY GENERATOR GROUP STAGEV SINGLE-PHASE THREE-PHASE 33KVA

The GENSET MG35SSY Generator Group StageV Single-Phase-Three-Phase, with 33 KVA, exemplifies excellence among super-silent generators, providing a reliable and versatile solution for powering both single-phase and three-phase applications. Powered by a Yanmar 4TNV88 engine running at 1500 RPM, known for its robustness and durability, the GENSET MG35SSY StageV Generator Group ensures optimal performance under any operating condition.

Key Features of the GENSET MG35SSY StageV:

Power for heavy loads: It delivers a maximum power output of 33 KVA (26.4 KW), making it ideal for supporting significant loads in industrial and professional environments.

Suitable for single-phase use: The generator offers a maximum power output of 11 KVA (8.8 KW), providing great flexibility of use.

Super silent: With a noise level of 92 dB, equivalent to 67 dB at 7 meters, it is perfect for environments where low noise is required.

Diesel-powered: Equipped with a 140-liter fuel tank, it ensures extended autonomy with a fuel consumption of just 6.4 liters/hour at 75% load.

Efficient cooling: The water cooling system of the Yanmar engine ensures stable operation even under high loads.

Integrated AVR: It includes an automatic voltage regulator (AVR) for stable and protected power delivery, ideal for sensitive equipment.

Design and Functionality of the GENSET MG35SSY StageV:

The GENSET MG35SSY StageV Generator Group features a compact and robust structure with dimensions of 2090mm in length, 935mm in width, and 1570mm in height, and a total weight of 950 kg. It is equipped with a central lifting hook and a forklift base for easy transport and installation on-site.

The GENSET MG35SSY StageV is provided with a single-phase and three-phase socket panel, with integrated control logic and a connector for automatic start-up, ensuring safe and practical use.

The GENSET MG35SSY StageV Generator Group is the perfect solution for those in need of a powerful, silent, and versatile energy source for professional applications, offering a secure and long-lasting investment for any energy requirement.

GENSET MG35SSY StageV

Looking for a Generator with different characteristics? [HERE](#) you can find the full range of products from GENSET or other brands

specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	8.8
Maximum power single phase (KVA)	11
Maximum power three phase (KW)	26.4
Maximum power three phase (KVA)	33
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	1 x 400V 63A CEE - 1 x 400V 32A CEE - 3 x 230V 32A CEE - 2 x 230V 16A CEE
Engine	Yanmar 4TNV88, 4 stroke
Emissions Regulations	Stage 5
Engine rpm (rpm)	1500
Starting system	Electric
Engine capacity (cm ³)	3319
Number cylinders	4
Cooling	Water
Alternator	Synchronous
Protection degree	IP23
Motor insulation class	H
Fuel tank capacity (L)	140
Consumption (L/h)	6.4
Running time (h)	22
Acoustic power	92 dB(A)
Acoustic pressure	67 dB(A) at 7 m
Length (mm)	2090
Width (mm)	935
Height (mm)	1570
Dry weight (Kg)	950
Silenced	Yes
Super silenced	Yes

Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	AVR
Engine manufacturer	Yanmar
