



GENSET MG88SSI Generator Group Stage0 88KVA AVR

Reference: MG 88 SS-I Stage0

GENSET MG88SSI GENERATOR GROUP STAGE0 88KVA AVR

The GENSET MG88SSI Generator Group Stage0 88KVA AVR is a highly efficient three-phase generator, designed to deliver high performance with an output of 88 kVA. The GENSET MG88SSI Stage0 features a compact and super-silent design, making it ideal for applications where noise reduction is crucial. Equipped with an FPT engine running at 1500 RPM, it ensures reliable and continuous operation while maintaining low emission levels thanks to its compliance with Stage0 standards.

Key Features of the GENSET MG88SSI Stage0 Generator Group:

Power and Performance: The GENSET MG88SSI delivers three-phase power at 88 kVA, with a sound power level of approximately 95 Lwa, achieving a perfect balance between quiet operation and robust performance.

FPT Engine: This GENSET Stage0 Generator Group is equipped with a high-performance FPT engine with a displacement of 4500 cm³, providing exceptional reliability and extended durability.

Versatility and Safety: The digital control panel allows comprehensive monitoring of the generator's operating parameters, including voltage, current, frequency, and fuel level. Additionally, the system is equipped with an automatic shutdown mechanism in case of anomalies, ensuring maximum protection during use.

Ease of Maintenance: The design of the GENSET MG88SSI includes a central lifting hook and a forkable base, allowing for easy and safe handling. The galvanized steel enclosure and liquid containment basin contribute to hassle-free and quick maintenance.

Stage0 Compliance: The GENSET MG88SSI Generator Group is compliant with Stage0 standards, meaning it is designed to operate in conditions where emissions are not subject to specific limitations, making it ideal for a wide range of industrial applications.

The GENSET MG88SSI Stage0 88KVA AVR Generator Group represents the ideal solution for those seeking a reliable, powerful, and quiet generator, with the flexibility to be customized according to specific needs while maintaining compliance with Stage0 standards. With its advanced features and robust design, this GENSET MG88SSI Stage0 is an excellent choice to ensure continuous and secure power in any situation.

Are you looking for a product with different technical characteristics? [_HERE](#) you can find the area dedicated to GENSET

generators or other specialized brands.

Non-binding images and technical data.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	23.44
Maximum power single phase (KVA)	29.3
Maximum power three phase (KW)	70.4
Maximum power three phase (KVA)	88
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	1 x CEE 400V 32A / 1 x CEE 400V 16A / 1 x CEE 230V 32A / 2 x CEE 230V 16A
Engine	FPT NEF45 SM3
Emissions Regulations	Stage 0
Engine rpm (rpm)	1500
Starting system	Electric
Engine capacity (cm ³)	4500
Number cylinders	4
Fuel tank capacity (L)	195
Consumption (L/h)	15.4 at 80% load
Running time (h)	12.66 at 80% load
Length (mm)	2400
Width (mm)	950
Height (mm)	1500
Dry weight (Kg)	1300
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	AVR