

PRAMAC GSW275DO COFANATO CON QUADRO COMANDO AUTOMATICO

Reference: SC251T5AZ02



Technical Sheet

| | |
|------------------------------------|--|
| Phase | Three phase |
| Maximum power three phase (KW) | 220 |
| Continuous power three phase (KW) | 211.2 |
| Maximum power three phase (KVA) | 275 |
| Continuous power three phase (KVA) | 264 |
| Fuel | Diesel |
| Frequency (Hz) | 50 |
| Voltage (V) | 400 |
| Engine | Doosan P126Ti, turbo intercooled |
| Emissions Regulations | Stage 2 |
| Speed governor | Electronic |
| Starting system | Electric |
| Engine capacity (cm ³) | 11051 |
| Number cylinders | 6 |
| Cylinders' position | In line |
| Oil capacity (L) | 23 |
| Cooling | Water |
| Alternator | Mecc Alte ECO38-1LN/4, brushless |
| Poles | 4 |
| Fuel tank capacity (L) | 636 |
| Consumption (L/h) | 42.4 at 75% of the load / 56.2 at 100% of the load |

| | |
|---------------------|--|
| Running time (h) | 15 at 75% of the load / 11.3 at 100% of the load |
| Acoustic power | 97 dB(A) |
| Acoustic pressure | 68 dB(A) at 7 m |
| Length (mm) | 3951 |
| Width (mm) | 1438 |
| Height (mm) | 2085 |
| Dry weight (Kg) | 3006 |
| Silenced | Yes |
| Super silenced | Yes |
| ATS Switch device | Optional ATS |
| Voltage regulator | AVR |
| Engine manufacturer | Doosan |