



## EcoFlow DELTA Pro 3 Power Station Fast Charging 4000W

Reference: DELTAPro3

### EcoFlow DELTA Pro 3 Power Station Fast Charging 4000W

Whether you're looking for a home energy backup solution, a robust power source for your business, or a reliable off-grid companion, the EcoFlow DELTA Pro 3 (UPS) is the answer. This Power Station redefines the standards of power and portability, offering exceptional performance and unparalleled peace of mind.

#### ? Uncompromising Power (True 4000W)

With an AC output power of 4,000W per unit (and the possibility of increasing it up to 8,000W with X-Boost), DELTA Pro 3 can simultaneously power virtually any appliance in your home, from professional tools to high-drain devices like air conditioners or electric ovens. It guarantees reliability in every situation, from prolonged blackouts to intensive use.

#### ? Expandable Capacity and Long-Lasting Life

The base capacity of 4096 Wh (about 4 kWh) is designed for your immediate needs, but it is completely expandable by adding additional batteries, bringing it up to 12 kWh. Not just power, but also longevity: the LiFePO<sub>4</sub> (Lithium Iron Phosphate) battery chemistry guarantees 4,000 cycles at 80% capacity, ensuring over a decade of reliable daily use.

#### ? Ultra-Fast Charging: No More Long Waits

Forget about hours of charging. Thanks to EcoFlow's revolutionary X-Stream technology, DELTA Pro 3 reaches 80% charge in just 60 minutes. Maximum operating efficiency is guaranteed, minimizing waiting times and maximizing energy availability.

#### Technical Features:

Capacity: 4096 Wh (Expandable)  
AC Output: 5 outlets, 4000 W (Max 8000 W with X-Boost)  
AC Charging (0-100%): In 90 minutes

Total Outputs: 13 (AC, USB-A, USB-C 100W, Auto, DC)  
Solar Input: 30-150 V, 15A, 1600 W max  
Battery: LiFePO4 (4000 cycles at 80%)  
UPS Function: Yes (Uninterruptible Power Supply)  
Noise Level: Only 30 dB (under 2,000 W)  
Dimensions/Weight: 410.4 x 341 x 693 mm / 51.5 kg

Looking for a product with different technical features? [HERE](#) you can find the area dedicated to portable batteries and uninterruptible power supplies from specialized brands.

The images and technical data are not binding and may be subject to revisions by the manufacturer.

## Technical Sheet

Product dimensions (mm)	410,4 x 341 x 693
Battery capacity (Wh)	4096
Weight (Kg)	51.5
Recharge times	90 minutes
Outputs	13 total
Output socket	5 socket
Guaranteed cycles (80%)	4000
solar input	30-150 V, 15A, 1600 W max