

HYUNDAI GENERATORE 65554 THREE PHASE SILENCED 32KW/40KVA STAGE II



Reference: 65554

HYUNDAI GENERATOR 65554 THREE-PHASE SILENCED 32KW/40KVA STAGEII

GENERATOR HYUNDAI 65554 SILENT THREE-PHASE STAGEII 32KW/40KVA Silent power at your service

The Hyundai Stagell 65554 generator DPK-DDE-44 represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits:

Generator **High performance:**

3168 displacement DEUTZ engine: powerful, reliable and Stagell compliant

Direct injection system: efficiency and low consumption

Leroy Somer TALA42F alternator: robust and reliable, providing a pure sine wave.

Quiet operation:

Noise level below 70 dB (at 7m): ideal for residential and office environments

Safety and reliability:

Waterproof control panel: intuitive monitoring and control

Emergency button: Immediate stop in case of need

Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

Autonomy and durability:

Large autonomy: 75-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

Advanced control and management:

Deepsea DSE6120MKIII control unit

Ready for ATS: automatic connection in the event of mains failure

The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup power and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai 65554 Stagell Three-Phase Silent Generator is the ideal solution

for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent Stagell Generator

is capable of powering a wide range of equipment.

The Hyundai Three-phase Silent Stagell Generator

features a direct injection system for efficiency and low fuel consumption.

The Hyundai 65554 three-phase Silent Stagell Generator is a safe and reliable product,

thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

Technical characteristics Hyundai 65554 Three-Phase Silenced Stagell Generator:

Voltage: 230/400 V

Single/three-phase

Three-phase continuous use power: 40 KVA

Nominal power: 10.7/32 Kw

Max MF/TF Power: 11.7/35 Kw

Frequency: 50 Hz

Amperage: 57.7 A

Noise level: 70 DB (at 7m)

IP Degree of Protection: IP23

Degree of Insulation: H/H

Altitude: < 1000m asl

Engine: DEUTZ

Displacement: 3168 cc

Type of Injection: Direct

No. Cylinders: 4

Engine rpm: 1500/min

Emissions: Stage II

Consumption 100% of load: 10.3 l/h

Fuel: Diesel

Tank capacity: 75 L

Cooling System: Coolant

Control unit: DEEPSEA DSE6120MKIII

Total capacity of lubrication system: 7.8 L

Cap. total cooling system 16.8 L

Alternator Model: Leroy Somer BFM3T

Exciter: Brushless - Auto - Excitation

Dimensions L x W x H: 2450 * 900 * 1200 mm

Weight: 900 kg

Preparation: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

Technical Sheet

Phase	Single phase / Three phase
Maximum power three phase (KW)	
Continuous power three phase (KW)	32
Maximum power three phase (KVA)	44
Continuous power three phase (KVA)	40
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Engine	Deutz BFM3T
Emissions Regulations	Stage 2
Engine rpm (rpm)	1500
Starting system	Elettrico
Engine capacity (cm ³)	3168
Number cylinders	3
Cooling	Liquid
Alternator	Leroy Somer TALA42F
Fuel tank capacity (L)	
Length (mm)	2450
Width (mm)	900
Height (mm)	
Dry weight (Kg)	
Engine manufacturer	Deutz