



CLIMMA COMPACT 3.5 RC MONOBLOCK MARINE AIR CONDITIONER 3500 BTU/h 50/60Hz

Reference: MC35K3RCJ

CLIMMA COMPACT 3.5 RC MONOBLOC MARINE AIR CONDITIONER 3500 BTU/h

The CLIMMA COMPACT 3.5 RC is a monobloc marine air conditioner suitable for use on boats, with a nominal cooling capacity of 3500 BTU/h.

The CLIMMA COMPACT 3.5 RC is a marine air conditioner designed to provide an effective and reliable solution for air conditioning the interior of boats. Thanks to its cooling capacity, the air conditioner ensures optimal comfort in all weather conditions.

The air conditioner is constructed with materials resistant to UV rays and marine corrosion, ensuring a longer lifespan. Its compactness, lightweight design, and ease of use make it the ideal option for boats seeking a comfortable climate and high energy efficiency.

The CLIMMA COMPACT 3.5 RC air conditioner is the ideal way to keep the air fresh and clean on boats, thanks to advanced technology designed to deliver reliable performance over time. The system stands out for its low noise levels, thanks to noise dampening technology that minimizes vibrations during operation, and for its design, which uses high-quality materials specifically selected to ensure long-lasting durability.

The Climma Compact 3.5 RC is a reliable and high-performance solution for air conditioning on boats. Thanks to its energy efficiency, compactness, and durability, this monoblock marine air conditioner ensures a pleasant and comfortable interior environment for crew and guests, helping to make the navigation experience even more enjoyable and relaxing.

TECHNICAL CHARACTERISTICS OF THE CLIMMA COMPACT 3.5 RC

Cooling capacity: 3500 BTU/h / 1000 W
Heating capacity: 3500 BTU/h / 1000 W
Power supply voltage: 230V
Frequency: 50/60 Hz
Operating current consumption: 1.6 / 5.2 A
Fan speed: 230 m³/h
Refrigerant: R134a
Width: 381 mm
Depth: 204 mm
Height: 224 mm
Net weight: 12 kg

Looking for a product with different technical features? [HERE](#) you can find the area dedicated to Climma marine air conditioners or other specialized brands.

Phase	Single phase
Frequency (Hz)	50 / 60
Voltage (V)	230
Maximum flow (m ³ /h)	230
Refrigerating yield	3500 BTU/h
Heating power	3500 BTU/h
Length (mm)	381
Width (mm)	204
Height (mm)	224
Product type	Air conditioner
Coolant	R134a
Weight (Kg)	12