

PRAMAC GSW10Y COFANATO CON QUADRO COMANDO MANUALE (MCP)

Reference: SG750TCAY05 /



Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	65.94
Continuous power three phase (KW)	59.95
Maximum power three phase (KVA)	82.42
Continuous power three phase (KVA)	74.94
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	FPT NEF45SM2A, turbocharged
Speed governor	Mechanical
Starting system	Electric
Engine capacity (cm ³)	4500
Number cylinders	4
Cylinders' position	In line
Oil capacity (L)	12.8
Cooling	Water
Alternator	Mecc Alte ECO/P32-3L/4, brushless
Poles	4
Fuel tank capacity (L)	248
Consumption (L/h)	12.8 at 75% of the load / 17.2 at 100% of the load
Running time (h)	19.4 at 75% of the load / 14.4 at 100% of the load

Length (mm)	2200
-------------	------

Width (mm)	1000
------------	------

Height (mm)	1743
-------------	------

Dry weight (Kg)	1139
-----------------	------

Silenced	No
----------	----

Super silenced	No
----------------	----

ATS Switch device	Optional ATS
-------------------	--------------

Voltage regulator	AVR
-------------------	-----

Engine manufacturer	FPT Iveco
---------------------	-----------
