



HONDA GXV390T1 DN5 Engine

Reference: GXV390T1 DN5

HONDA GXV390T1 DN5 Engine

The GXV390 engines are recommended for a wide range of professional machines such as ride-on lawn mowers, construction equipment, and other industrial applications.

Features of the HONDA GXV390T1 DN5 Engine:

- The OHV configuration ensures very efficient combustion.
- A high power-to-displacement ratio.
- Easy and light starting, thanks also to an efficient decompression system and an ergonomic recoil starter handle.
- High-quality materials, designed and built to last a very long time.
- The engines comply with all the strictest regulations in force in Europe.
- Very low fuel consumption.
- Reduced vibrations and noise.

Color: Black

Muffler: Standard

Air filter: Dual element

Fuel tank: Standard

Synchro-balanced engine

Technical specifications HONDA GXV390T1 DN5 Engine:

Fuel: Gasoline

Engine: OHV vertical shaft, 4-stroke, cast iron cylinder

Starting system: Recoil (electric optional)

Displacement: 389 cm³

Net power: 7.6 kW (10.2 HP)

Fuel tank capacity: 2.1 L

Length: 430 mm

Width: 385 mm

Height: 410 mm

Weight: 33 Kg

Are you looking for an engine similar to the HONDA GXV390T1 DN5 but with different features? [CLICK HERE](#) and discover our full range.

Technical Sheet

Fuel	Gasoline
Engine	OHV vertical shaft, 4 stroke, cast iron cylinder
Ignition	A transistor contactless
Starting system	Manual
Engine capacity (cm ³)	389
Number cylinders	1
Oil capacity (L)	1.1
Cooling	Forced air
Bore x stroke (mm)	88 x 64
Compression ratio	7.7 : 1
Net power (kW)	7.6
Nominal power continuous	5.2 KW (7.0 HP) / 3000 rpm
Maximum torque	24.2 Nm / 2.47 kgfm / 2500 rpm
Fuel tank capacity (L)	2.1
Consumption (L/h)	2.5
Running time (h)	0.84
Length (mm)	430
Width (mm)	385
Height (mm)	410
Dry weight (Kg)	33
Engine manufacturer	Honda