



WFM SP7500-TDSE Generator Set 6.4KVA AVR

Reference: 04009

WFM SP7500-TDSE Generator Set 6.4KVA AVR

WFM SP7500-TDSE AVR GENERATOR: The power you need, wherever you need it

The WFM SP7500-TDSE GENERATOR AVR is a powerful and versatile generator set, ideal for powering your electronic equipment in any situation.

Thanks to its AVR (Automatic Voltage Regulator) technology, this generator guarantees a stable and precise voltage, protecting your devices from power surges that could cause damage.

Strong points:

AVR technology: AVR voltage stabilisation protects your electronic equipment, even the most sensitive, from current surges.

Versatility: Suitable for both domestic and professional use, ideal for powering inverter welders, power tools, computers, TVs, and more.

Power: With a maximum power output of 6.4 KVA, it can also power several devices simultaneously.

Reliability: Lombardini diesel engine, a guarantee of quality and durability.

Ease of use: Electric start with battery, ready to use at any time.

Safety: Low oil level protection and muffler for safe and silent operation.

Transportability: Compact size and low weight for easy transport.

Technical specifications WFM SP7500-TDSE AVR GENERATOR

Maximum power Single-phase: 3 KW

Maximum single-phase power: 3.8 KVA

Maximum three-phase power: 5.1 KW

Maximum three-phase power: 6.4 KVA

Fuel: Diesel

Voltage: 230 V / 400 V

Frequency: 50 Hz

Engine: Lombardini 15LD440

Starting: Electric

Consumption: 2 Lt at 100% load

Length: 750 mm

Width: 560 mm

Height: 620 mm

Weight: 170 Kg

if you are looking for a product with similar characteristics [CLICK HERE](#).

Images are purely indicative.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	3
Maximum power single phase (KVA)	3.8
Maximum power three phase (KW)	5.1
Maximum power three phase (KVA)	6.4
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	1 x 400V 32A 5P CEE - 1 x 230V 16A 3P CEE - 1 x 230V 16A 3P SCHUKO
Engine	LOMBARDINI 15LD440
Engine rpm (rpm)	3000
Starting system	Elettrico
Engine capacity (cm ³)	436
Number cylinders	1
Oil capacity (L)	2
Cooling	Air
Fuel tank capacity (L)	20
Consumption (L/h)	2 at 100% of the load

Running time (h)	10 at 100% of the load
Acoustic power	96 dB(A)
Acoustic pressure	71 dB(A) at 7 m
Length (mm)	750
Width (mm)	560
Height (mm)	620
Dry weight (Kg)	170
Silenced	Yes
Super silenced	No
ATS Switch device	Optional ATS
Voltage regulator	AVR
Engine manufacturer	LOMBARDINI