



GENSET MG 12001 IHPAA - SINGLE-PHASE GENERATOR 11 KVA AVR

Reference: MG 12001 IHPAA

GENSET MG 12001 IHPAA GENERATOR SINGLE PHASE 11KVA AVR STAGEV

GENSET MG 12001 IHPAA is a singlephase generator equipped with a Honda GX 630 OHV (STAGE V) engine powered by Gasoline, capable of delivering a maximum power of 11KVA.

The GENSET MG 12001 IHPAA has also a low fuel consumption: only 5.5 Lt/h at 75% of the load. The GENSET MG 12001 IHPAA thanks to the high quality and efficiency of its components, is ideal for various types of work: from small hobby work to large construction sites.

The generator is easy to install and operate, as well as easy to start and stop thanks to the clear and intuitive controls. GENSET MG 12001 IHPAA is equipped with a Honda GX 630 OHV STAGE V gasoline engine. They are very reliable engines that guarantee efficient combustion and low fuel consumption, they are also equipped with a protection system that causes the engine to stop if the oil level is too low.

GENSET MG 12001 IHPAA are equipped with a 29-liter tank with a large cap that is easy to unscrew even with work gloves.

GENSET MG 12001 IHPAA has an all-steel structure and a large metal tank. The generator guarantees an efficient and silent operation thanks to the Honda GX 630 OHV which allows to deliver a maximum power of 11 KVA.

The generator set comes with:

- Automatic stop for low oil level
- 12 V battery
- 1 single-phase socket CEE 16 A, 230 V - 50 Hz
- 1 singlephase socket CEE 32 A, 230 V - 50 Hz
- Power output protections
- Differential switch
- Voltmeter
- Hour meter
- Central lifting hook

TECHNICAL FEATURES GENSET MG 12001 IHPAA

Maximum singlephase output: 11 KVA
Singlephase maximum output: 8.8 KW
Singlephase continuous use output: 10 KVA
Singlephase continuous use output: 8 KW
Fuel: Gasoline
Voltage: 230 V
Frequency: 50 Hz
Engine: Honda GX 630 OHV (STAGE V)

Starter: Electric
 Tank capacity: 29l
 Consumption: 5.5 Lt/h
 Acoustic power: 90 dB (A) (65 dB at 7 mt)
 Protection class: IP 23
 Length: 904 mm
 Width: 507 mm
 Height: 823 mm
 Weight: 148 Kg
 Super silenced
 AVR

Looking for a power generator with different characteristics? [Here](#) you can find the full range of products from GENSET or other brands specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	8.8
Continuous power single phase (KW)	8
Maximum power single phase (KVA)	11
Continuous power single phase (KVA)	10
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	1 x 230V 16A CEE - 1 x 230V 32A CEE
Engine	Honda GX630, 4 stroke, OHV
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Starting system	Electric
Engine capacity (cm ³)	688
Number cylinders	2
Cooling	Air
Alternator	Synchronous
Protection degree	IP23
Motor insulation class	H
Fuel tank capacity (L)	29
Consumption (L/h)	5.5
Running time (h)	5.27
Acoustic power	98 dB(A)

Acoustic pressure	73 dB(A) at 7 m
Length (mm)	904
Width (mm)	507
Height (mm)	823
Dry weight (Kg)	148
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	AVR
Engine manufacturer	Honda