



MASE Mariner 3000TS Super-Silenced Marine Generator 31 KVA AVR

Reference: 002590

Generatore marino MASE MARINER3000TS supersilenziato 31 KVA AVR

Marino generator MASE MARINER3000TS three-phase with motor at 1500 giri/minuto. The MASE MARINER3000TS three-phase generator is designed with a soundproof cabin to make it super quiet. The MASE MARINER3000TS three-phase generator is built with a Yanmar diesel engine and a continuous alternator, auto-energized, auto-regulated, with electronic voltage regulation **AVR** and with air conditioning. With its dimensions, it is also adjusted to the media dimensions. The ampio display and pulse of the command do not allow an easy setting and use: Hz

- Contaore
- Battery voltage generator
- Low oil pressure alarm
- Motor activation
- High engine temperature alarm
- Car battery alarm
- Protection by frequency and engine speed
- Visualizzazione allarmi de arresto
- Avviso manual maintenance
- Uscita cumulative allarmi
- Uscita RUN
- Uscita Ready
- Uscita AUX programmabile

Motore

- Access to the handling of the power supply system lubrication, water pump and air filter.
- Doppio sistema di smorzamento of vibration
- Oil pump

Alternator

- Sincrono, 4 polished, automatic, autoregolato senza spazzole con regolazione elettronica della tensione APR.

Cabina sonorizzante

The cabina sonorizzante del generatore marine MASE MARINER3000TS with its new design and design, the acoustic emission is carefully selected and it is made of a marine-varnished aluminum laminate structure, type 5754, extremely light and The high resistance of the agent is eternal. The internal access to the van makes it more durable during maintenance and with a group of electrics installed in the appropriate environment. MARINER3000TS has the refrigerant circulation circuit in the chiuso circuit. The system is composed of a cupboard heater, the internal circuit has a thermal bath with refrigerant liquid and water. MARINER3000TS.

This is a generator similar to the MARINER3000TS with different technical characteristics that you can consult in the intero catalog [gruppi elettrogeni marini](#).

Immagini e dati tecnici non impegnativi.

Technical Sheet

Phase	Three phase
Maximum power three phase (KVA)	31
Continuous power three phase (KVA)	29
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	Yanmar 4TNV98, 4 stroke
Engine rpm (rpm)	1500
Speed governor	Mechanical
Engine capacity (cm ³)	3319
Number cylinders	4
Oil capacity (L)	8.2
Cooling	Air
Inyección	Direct
Alternator	Synchronous, self-excited
Poles	4
Lubrication	Forced
Consumption (L/h)	8.9 at 100% of the load
Acoustic pressure	54 dB(A) at 7 m
Length (mm)	1295
Width (mm)	
Height (mm)	810
Dry weight (Kg)	595
Inverter	No

AVR	Yes
-----	-----

Compound	No
----------	----

Silenced	Yes
----------	-----

Super silenced	Yes
----------------	-----

Compression ratio	18.5 : 1
-------------------	----------

Product type	Generator
--------------	-----------

Voltage regulator	AVR
-------------------	-----

Engine manufacturer	Yanmar
---------------------	--------
