



## GENSET MG4010DM

Reference: MG 4010 DM

### GENSET MG4010DM SINGLE-PHASE VEHICLE GENERATOR 4KVA

The GENSET MG4010DM is a 4KVA single-phase vehicle generator powered by a Yanmar diesel engine with electric start. The GENSET MG4010DM generator is compact and easy to use, and thanks to its compact size and lightweight, it is a vehicle-mounted generator that is easy to install.

This GENSET MG4010DM generator is perfect for vehicle installation. The GENSET MG4010DM also has low fuel consumption: only 1 Lt/h at 75% load. The GENSET MG4010DM generator, thanks to the high quality and efficiency of its components, is ideal for vehicle mounting.

The GENSET MG4010DM 4KVA generator is equipped with a remote control panel consisting of a multifunction digital display for reading generator single-phase voltage, battery voltage, frequency, hour meter, and engine RPM.

The GENSET MG4010DM generator is equipped with an air cooling system that ensures long-lasting and reliable operation even in harsh conditions.

The GENSET MG4010DM 4KVA generator is part of the vehicle range, and thanks to its soundproof casing, it is super-silent, minimizing noise emissions.

#### Technical specifications of the GENSET MG4010DM generator:

Phase Type: Single-Phase Maximum  
Single-Phase Power: 4 KVA / 3.2 KW  
Engine: Yanmar L 70 V  
Engine Speed: 3000 rpm  
Emission Standard: StageV  
No. of Cylinders: 1  
Cooling: Air  
Displacement: 320 cm<sup>3</sup>  
Power: 6 hp (4.5 kWm)  
Starting System: Electric  
Fuel: Diesel  
Voltage: 230 V  
Frequency: 50 Hz  
Fuel Consumption at 75%: 1 Lt/h  
Sound Pressure: 89 (64 dB at 7 m)  
Length: 640 mm

Width: 500 mm  
 Height: 500 mm  
 Dry Weight: 120 kg

If you are looking for a product like the GENSET MG4010DM then you can browse the full range of GENSET's [vehicle generator](#) or other types of products in our catalogue to find the one that best suits your needs.

Images and technical data are not binding.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	3.2
Maximum power single phase (KVA)	4
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Engine	Yanmar L70V, 4 stroke
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Starting system	Electric
Engine capacity (cm <sup>3</sup> )	320
Number cylinders	1
Cooling	Air
Alternator	Synchronous
Protection degree	IP23
Motor insulation class	H
Consumption (L/h)	1
Acoustic power	89 dB(A)
Acoustic pressure	64 dB(A) at 7 m
Length (mm)	640
Width (mm)	500
Height (mm)	500
Dry weight (Kg)	120
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	No

---

Engine manufacturer

Yanmar

---