



## TECNOGEN H3000 Generator Set 2.8KVA

Reference: H 3000

### TECNOGEN H3000 Generator 2.8KVA

The TECNOGEN H3000 Generator 2.2KVA single-phase with a Honda engine running at 3000 rpm and powered by gasoline. The TECNOGEN H3000 generator is easy to use, compact, maneuverable, and simple to maintain. The TECNOGEN H3000 is equipped with a manual pull-start system with a self-retracting cord. This TECNOGEN H3000 Generator 2.2KVA is perfect for both hobby and professional use, thanks to the reliable Honda engine powered by gasoline and all the high-quality components it is made of.

#### Why purchase a TECNOGEN H3000 Generator 2.2KVA?

First and foremost, it solves power outages in various environments, from homes to businesses. The TECNOGEN H3000 generator is also used to provide electricity on construction sites and for hobby use. Professional generators are lightweight machines, easy to transport, compact and robust, simple to use, and low in maintenance costs. They also offer excellent value for money.

On the TECNOGEN H3000, lifting hooks can be installed, which are very convenient for moving the generator using a hoist or a small crane.

#### **Technical Features of TECNOGEN H3000 Generator 2.2KVA:**

Maximum Power Single-phase: 2.2 KW  
Maximum Power Single-phase: 2.8 KVA  
Fuel: Gasoline  
Voltage: 230 V  
Frequency: 50 Hz  
Engine: Honda GX160  
Starting: Manual  
Length: 590 mm  
Width: 390 mm  
Height: 380 mm  
Weight: 36 Kg

#### The entire TECNOGEN range

TECNOGEN generators are available in both single-phase and three-phase versions, with powers ranging from 2.3 to 21 KVA MAX, equipped with gasoline or diesel engines, air-cooled, 3000 rpm, with electric and/or manual start with a self-retracting cord. Compact, simplified, and economical, they offer excellent price/performance/size and weight ratio. Easily transportable thanks to reduced dimensions due to a basic setup, they are suitable for anyone who needs an economical power source, assembled with high-quality components that ensure absolute reliability. The gasoline-powered TECNOGEN models in the COMPACT line, thanks to the latest generation Honda engines, comply with the noise directive 2000/14/EC.

Looking for a different model from the TECNOGEN H3000 2.2KVA? Visit the section dedicated to [land-based generators](#). Images and technical data are non-binding.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	2.2
Maximum power single phase (KVA)	2.8
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Engine	HONDA GX160
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Starting system	Manuale
Engine capacity (cm <sup>3</sup> )	163
Number cylinders	1
Cooling	Air
Fuel tank capacity (L)	3.6
Consumption (L/h)	0.9
Running time (h)	4
Acoustic power	96 dB(A)
Length (mm)	590
Width (mm)	390
Height (mm)	380
Dry weight (Kg)	36
Silenced	No
Super silenced	No
ATS Switch device	No ATS
Voltage regulator	No
Engine manufacturer	Honda