



TECNOGEN H2700

Reference: H 15000 TSS - C

TECNOGEN H1500TSS 10,4 KW generating set

Generator set Three-phase TECNOGEN H1500TSS of 10,4 KW and single-phase of 3 KW with Honda engine of 3000 rpm powered by gasoline. The TECNOGEN H1500TSS generating set is easy to use and has small dimensions, easy to handle and easy to maintain. The TECNOGEN H1500TSS generating set is equipped with electric start. This genset is perfect for both hobby and professional use, thanks to the reliable Honda gasoline-powered engine and all the high quality components of which it is composed.

Why buy a genset H1500TSS?

First of all, they solve problems of lack of electricity during blackouts in various environments, from homes to businesses. The TECNOGEN H1500TSS generator set is also used to provide electricity at construction sites and for hobby use. The professional generators are light machines, easy to transport, compact and robust, simple to use and with low management costs. They present, moreover, an excellent quality/price ratio.

On the TECNOGEN H1500TSS generating set it is possible to install lifting hooks, very convenient to move the power generator with an overhead crane or a small crane.

The following are the main features:

Maximum single-phase power: 3 KW
Maximum three-phase power: 10.4 KW
Fuel: Gasoline
Voltage: 230 V / 400 V
Frequency: 50 Hz
Motor: Honda GX690
Start: Electric
Length: 1070 mm
Width: 560 mm
Height: 930 mm
Weight: 210 Kg

All TECNOGEN range

TECNOGEN generator sets are available in both single-phase and three-phase versions, with powers from 2.3 to 21 KVA MAX, equipped with gasoline or diesel engines, air-cooled, 3000 rpm, electric start and/or manual start with recoil starter. Compact, simplified and economical, they boast an excellent price/performance/size/weight ratio. Easily transportable thanks to the reduced dimensions due to an essential equipment, they are suitable for all those who need an economic source of energy, however, assembled with first-class components that ensure absolute reliability. TECNOGEN gasoline versions of COMPACT line, thanks to the Honda engines of the latest generation, fall within the parameters of the noise directive 2000/14/EC.

Are you looking for a different model of current generator or generator set? Visit the section dedicated to [land based generators](#).

Images and technical data are not binding.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	3
Maximum power single phase (KVA)	3.8
Maximum power three phase (KW)	10.4
Maximum power three phase (KVA)	13
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230 / 400
Engine	
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Starting system	Electric
Engine capacity (cm ³)	688
Number cylinders	2
Cooling	Air
Fuel tank capacity (L)	20
Consumption (L/h)	7
Running time (h)	2.8
Acoustic power	88 dB(A)
Length (mm)	1070
Width (mm)	560
Height (mm)	930
Dry weight (Kg)	210
Silenced	No
Super silenced	Yes
ATS Switch device	Optional ATS
Voltage regulator	Compound / AVR (optional)
Engine manufacturer	Honda