



## TECNOGEN JD35TSS GENERATOR SET

Reference: JD35TSS

### TECNOGEN JD35TSS GENERATOR SET

TECNOGEN JD35TSS Generator set is a three-phase diesel generator set with electric start. It has a maximum power rating of 27.2 kW in three-phase or 34 kVA. The engine is a 3.5-liter John Deere 3029DF128. The genset has an output voltage of 400 V. The dimensions are 2050 x 1050 x 1300 mm and the weight is 960 kg.

The TECNOGEN JD35TSS Generator set is a suitable product for a wide range of applications, including:

- Power supply in case of power failure
- Powering machinery and industrial equipment
- Lighting of events and demonstrations
- Powering emergency systems

#### TECHNICAL SPECIFICATIONS TECNOGEN GENERATOR SET JD35TSS:

Maximum three-phase power: 27.2 KW  
Maximum three-phase power: 34 KVA  
Fuel: Diesel  
Voltage: 400V  
Engine: John Deere 3029DF128  
Starter: Electric  
Length: 2050 mm  
Width: 1050 mm  
Height: 1300 mm  
Weight: 960 kg

The TECNOGEN JD35TSS Generator set is equipped with robust and reliable diesel fuel, which ensures continuous and trouble-free operation. It is also equipped with an electric start system, which facilitates starting the genset.

The TECNOGEN JD35TSS is a high-quality product, made with high-quality materials and components. The TECNOGEN JD35TSS is also equipped with a number of features that ensure its safety and reliability, including:

- Overload protection
- Short-circuit protection
- Reverse polarity protection
- Protection from lack of oil

The TECNOGEN Generator Set

Fuel: The diesel engine is suitable for use in cold weather conditions, such as those typical of Turin. Diesel has a lower freezing point than fuel oil, so the engine is less likely to stop in cold temperatures.

Voltage: An output voltage of 400 V is the standard voltage for most domestic and commercial consumers in Italy.

Starting: The electric start makes it easy to start the genset, even in cold weather.

Size and weight: The genset's size and weight make it easy to transport and store.

If you are looking for a product similar to TECNOGEN JD35TSS or with similar features click [HERE](#).

Images for illustration only.

## Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	27.2
Maximum power three phase (KVA)	34
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	HONDA GC160
Engine rpm (rpm)	1500
Speed governor	Mechanical
Starting system	Electric
Engine capacity (cm <sup>3</sup> )	2900
Number cylinders	3
Cooling	Water
Fuel tank capacity (L)	73
Consumption (L/h)	4.6
Running time (h)	15.8
Acoustic pressure	67 dB(A) at 7 m
Length (mm)	2050
Width (mm)	1050
Height (mm)	1300
Dry weight (Kg)	960
Silenced	No
Super silenced	Yes
ATS Switch device	Optional ATS

---

Voltage regulator	No
Engine manufacturer	John Deere

---