



## TECNOGEN SD210LTE

Reference: SD210LTE

### TECNOGEN SD210LTE MOTORWALDER 7KVA

TECNOGEN SD210LTE is a motorwelder equipped with a Lombardini 15LD440 gasoline engine, capable of delivering a three-phase power of 7KVA.

TECNOGEN SD210LTE is a motorwelder with a welding current of 120 to 160A max., with an air-cooled, 3600 RPM max. gasoline engine in an open frame complete with recoil starter.

TECNOGEN SD210LTE is equipped with a sturdy frame to protect a powerful Lombardini 15LD440 engine capable of delivering a three-phase power of 7KVA with a maximum load consumption of 2.4 L/h.

TECNOGEN SD210LTE is with electric start with 12V battery supplied with acid or manual with self-winding, with control panel QM115 composed of three-phase CEE socket 2P+T 16A, thermal protection, three-phase Schuko socket 2P+T 16A.

Technical characteristics TECNOGEN SD210LTE

Welding at 60%: 170  
Maximum three-phase power: 7 KVA  
Fuel: Diesel  
Voltage: 400V  
Engine: Lombardini 15LD440  
Boosting: Electric  
Length: 920 mm  
Width: 520 mm  
Height: 660 mm  
Weight: 115 Kg

Are you looking for a motorwelding with different technical characteristics? [Here](#) you can find the full range of TECNOGEN and other specialized brands.

The images are purely indicative.

### Technical Sheet

Phase

Three phase

Maximum power single phase (KVA)	3.5
Maximum power three phase (KVA)	7
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	LOMBARDINI 15LD440
Engine rpm (rpm)	3000
Starting system	Elettrico
Engine capacity (cm <sup>3</sup> )	442
Number cylinders	1
Cooling	Air
Welding current (A)	180 al 35% - 170 al 60%
Fuel tank capacity (L)	5
Consumption (L/h)	1.6 al 75% del carico
Running time (h)	3.1
Length (mm)	920
Width (mm)	520
Height (mm)	660
Dry weight (Kg)	
Inverter	No
AVR	No
Compound	No
Silenced	Yes
Super silenced	No