



HONDA Outboard BF 60 LRTU Remote Control 44.1 kW 50 Hp 988 cm³

Reference: BF 60AK1 LRTU

HONDA BF60AK1 LRTU Outboard Drive

HONDA BF60AK1 LRTU outboards are lightweight yet powerful, delivering thrilling acceleration and incredible fuel economy.

HONDA BF60AK1 LRTU outboards deliver full-bodied power, but you can choose from two gearbox design options to get the solution that best suits your needs.

HONDA BF60AK1 LRTU engine are streamlined engines perfect for small and medium-sized boats. These compact, three-cylinder 998 cm³ outboards feature brilliant innovations. One of the standout features is Honda's famous PGM-FI system.

Honda exclusive BLAST™ technology with PGM-Fi electronic fuel injection delivers instant acceleration that gets you up to velocity very quickly. This is made possible by improved ignition timing accuracy, which develops more torque at low rpm.

The exclusive ECOMo system automatically adjusts the air/fuel mixture according to speed and load for maximum efficiency with minimum consumption. When your boat has reached cruising speed (in the green zone indicated above) the PGM-FI system can adjust the air/fuel ratio consuming up to 20% less.

The high power alternator generates a current of 22 Amps, which keeps the battery in the best condition with a load capacity of 17 Amps available already at 2000 rpm and also powers all the electronic equipment on board.

The gearbox is very slim and extremely hydrodynamic. The gears inside are machined to tight tolerances, reducing friction and helping to improve performance while lowering fuel consumption.

The outboards are NMEA2000® (National Marine Electronics Association) compliant, so they are compatible with all other NMEA2000®-compliant electronic devices, such as navigation and sounder systems. Outboard velocity, temperature and consumption data can be displayed via multifunctional gauges.

HONDA BF60AK1 LRTU are outboard in addition to acceleration and optional rudder control, it includes an LED panel that displays engine management status, oil pressure, battery charge and overheating. It also has a horn in case something happens while you're focused elsewhere.

Precise low-speed control is just as important as high-speed management, especially while fishing. The optional rudder control, through the control bar, simply adjusts the speed in 50 rpm increments, making it ideal for fishing.

TECHNICAL FEATURES HONDA BF60AK1 LRTU

Net Power (kW): 44.1
Net Power (Hp): 60
Displacement: 998 cm³
Shaft Length: Long

Dry Weight (Kg) : 110
 Boosting: Electric
 Initiation System: Electronic PGM-IG
 Type of Control: Remote
 Assembly and Lifting: Electric
 Transom Height (mm) : 521
 Length (mm) : 851
 Width (mm) : 417
 Height (mm) : 1397
 Bore x Stroke: 73 x 79.5 mm
 Brand Engine: Honda
 Engine Type: OHV, 4-stroke
 Number of Cylinders: 3
 RPM at Full Throttle (rpm) : 5000-6000
 Cooling System: Water
 Battery Charging Capacity (A) : 17
 Propeller Rotation: Standard

Looking for an outboard with different features? [Here](#) you can find the full range of Honda outboards and other specialist brands.

The images are purely indicative.

Technical Sheet

Fuel	Gasoline
Engine	OHV, 4 stroke
Ignition	Electronic PGM-IG
Starting system	Electric
Engine capacity (cm ³)	998
Number cylinders	3
Cooling	Water (with thermostat)
Bore x stroke (mm)	73 x 79.5
Reduction ratio	2.07
Rpm at full throttle (rpm)	5000 - 6000
Appearance and engine lifting	Electric
Transom height (mm)	521
Net power (kW)	44.1
Length (mm)	777
Width (mm)	417
Height (mm)	1397
Dry weight (Kg)	110
Shaft Length	L
Controls	Remote