



BINDA MOTO P B 40 C

Reference: MOTORB40C

BINDA MOTOR B 40 C MOTOR PUMP

The BINDA motor B 40 C is a self-priming model powered by a self-priming petrol engine.

MOTOR BENZ: Self-priming motor pumps for clean water with 4-stroke petrol engines (LWP is supplied with trolley and is suitable for fire-fighting systems).

The company BINDA, RINA certified and official NATO supplier, guarantees the high quality standard of the production thanks to the production and control systems that have been processed according to the above mentioned military regulations.

TECHNICAL CHARACTERISTICS BINDA MOTOR B 40 C MOTOR PUMP:

Type of product: Self-priming petrol motor pump

Diameter: 100 mm - 4"

Maximum flow rate (Lt/min): 1600

Maximum head: 16 m

Suction: 6 m

Priming time: 180 s/4m

Engine: UP 177

Engine type: air-cooled, 4-stroke, OHV

Injection system: TCI

Starting: Tear-off

Displacement: 270 cc

Max power: 9 HP

Number of revolutions per minute: 3600

Tank capacity: 6 litres

Oil quantity: 1.1 litres

Fuel: Gasoline

Fuel consumption: 360 g/Kwh

Weight: 46 Kg

Length: 637 mm

Width: 465 mm

Height: 552 mm

The images are purely indicative.

Technical Sheet

Fuel	Gasoline
Engine	UP 177
Engine rpm (rpm)	3600
Starting system	Pull starter
Engine capacity (cm ³)	270
Oil capacity (L)	1.1
Cooling	Air
Inyección	TCI
Pump type	Self-Priming Simple Effect
Fluid type	Clean water
Height of suction (m)	6
Maximum output capacity (Lt/min)	450
Diameter (Ø)	1"1/2
Inlet diameter thread type (mm/inches)	100 mm - 4"
Outlet diameter thread type (mm/inches)	100 mm - 4"
Power consumption (W)	1.1
Length (mm)	637
Width (mm)	465
Height (mm)	552
Dry weight (Kg)	46
Product type	Pompa
Weight (Kg)	0.4