



TELWIN MASTERMIG 500 230-400V AQUA

Reference: 822008

MIG-MAG/FLUX/BRAZING welding machine with removable wire feeder, fit for use in the industrial field.
 Flexibility of use with a wide range of materials such as steel, stainless steel, high strength steels and aluminium.

Features:

- Very strong
- Numerous steps for regulation of arc voltage
- Regulation of spot welding time
- Two positions for reactance
- Thermostatic protection

Thanks to the extensions (optional) it is possible to increase the working range between wire feeder and power source up to 10 meters.

Complete with water cooling unit and MIG-MAG welding accessories.

Not binding images and technical data.

Technical Sheet

| | |
|--------------------------------|----------------------------|
| Phase | Single phase / Three phase |
| Frequency (Hz) | 50 / 60 |
| Voltage (V) | 230 / 400 |
| Protection degree | IP22 |
| No-load voltage (V) | 55 |
| Adjustment positions | 24 |
| Regulation current (A) | 50 - 500 |
| Ø steel welding wire (mm) | 0.6 - 2 |
| Ø inox welding wire (mm) | 0.8 - 2 |
| Ø aluminium welding wire (mm) | 0.8 - 1.2 |
| Ø flux cored welding wire (mm) | 1 - 2 |
| Ø brazing wire (mm) | 0.8 - 1.2 |
| Type of welding | MIG-MAG |
| MIG-MAG welding | MIG-MAG/FLUX/BRAZING |

| | |
|-----------------|-----|
| Current max (A) | 500 |
| Length (mm) | 945 |
| Width (mm) | 865 |
| Height (mm) | 830 |
| Weight (Kg) | 136 |
