



GENERATOR FISCHER PANDA 30-4 PMS

Reference: FP0014987

MARINE GENERATOR FISCHER PANDA 30-4PMS SUPERSILENCED 29.4 KVA

Generator for boats Fischer Panda 30-4PMS three-phase 29.4 kVA with 1500 rpm motor. The Fischer Panda 30-4PMS three-phase marine generator is designed with a soundproof cabin that makes it super-silent. The Fischer Panda 30-4PMS three-phase generator is built with a diesel-powered Mitsubishi engine. The Fischer Panda 30-4PMS three-phase generator alternator is 4-pole with H insulation class. Thanks to its compactness, size and low weight, the Fischer Panda 30-4PMS three-phase marine generator is also suitable to be mounted on boats with little space available.

Fischer Panda 30-4PMS marine generator:

Phase Type: Three-phase
Maximum Output: 25 kW
Continuous Output: 22.5 kW
Maximum Output: 29.4 kVA
Continuous Output: 26.5 kVA
Frequency: 50 Hz
Voltage: 400 V
Engine rpm: 1500 rpm
Displacement: 3331 cc.
Cooling: Water
Sound Cover Type: MPL 4DS
Length: 1280 mm
Width: 740 mm
Height: 830 mm
Dry weight: 720 Kg

Based on the robust and compact Fischer Panda 30-4PMS generator set, these heavy duty (HD) versions run at 1500 rpm and 50 Hz.

The Fischer Panda 30-4PMS marine generator is enclosed in a soundproofed capsule which significantly reduces noise emissions and makes this product super-silent.

The generators are heavier than standard PMS generators. They use a heavy-duty diesel engine and, because they run at 1500 rpm, have a 4-wire coil, which also means that the alternator has a heavier 4-pole construction.

The heavy-duty construction and low rpm results in a durable and quiet generator set.

On our website you can find other marine generators such as the Fischer Panda 30-4PMS with different specifications. Browse the entire catalogue of [marine generators](#) to find the one best suited to your needs. On our catalogue you can find a wide range of marine products at the best price.

Images and technical data are not binding.

""

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	25
Continuous power three phase (KW)	22.4
Maximum power three phase (KVA)	29.4
Continuous power three phase (KVA)	26.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	Mitsubishi S4S
Engine rpm (rpm)	1500
Speed governor	Electronic
Starting system	Elettrico
Engine capacity (cm ³)	3331
Number cylinders	4
Cooling	Water
Poles	4
Motor insulation class	H
Length (mm)	1280
Width (mm)	740
Height (mm)	830
Dry weight (Kg)	720
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	Capacitor
Engine manufacturer	Mitsubishi