



GENERATOR FISCHER PANDA 70-4 PMS

Reference: 70-4 PMS

MARINE GENERATOR FISCHER PANDA 70-4PMS SUPER-SILENCED 71.8 KVA

Generator for boats Fischer Panda 70-4PMS three-phase 71.8 kVA with 1500 rpm motor. The Fischer Panda 70-4PMS three-phase marine generator is designed with a soundproof cabin that reduces noise emissions and makes it super-silent. The Fischer Panda 70-4PMS three-phase marine generator is built with a Deutz 1500 rpm diesel-powered engine. The Fischer Panda 70-4PMS three-phase marine generator alternator is 4-pole with H insulation class. Thanks to its compactness, size and low weight, the Fischer Panda 70-4PMS three-phase marine generator is also perfect for installation on boats with tight spaces. Excellent nautical generator set with quality/price ratio.

Fischer Panda 70-4PMS three-phase supersilenced generator:

Phase Type: Three-phase
Maximum Output: 61 kW
Continuous Output: 54.9 kW
Maximum Output: 71.8 kVA
Continuous Output: 64.6 kVA
Frequency: 50 Hz
Voltage: 400 V
Engine rpm: 1500 rpm
Displacement: 4764 cc.
Cooling: Water
Sound Cover Type: MPL 6DS
Length: 1630 mm
Width: 920 mm
Height: 1070 mm
Dry weight: 1490 Kg

Based on the rugged Fischer Panda 70-4PMS generator set, these heavy duty (HD) versions are designed with diesel engines with fixed speed at 1500 rpm and frequency at 50 Hz.

The Fischer Panda 70-4PMS marine generator is enclosed in a super-quiet soundproofed capsule.

The generators are heavier than standard PMS generators. They use a heavy-duty diesel engine and, because they run at 1500 rpm, have a 4-wire coil, which also means that the alternator has a heavier 4-pole construction.

The heavy-duty construction and low rpm results in a durable and quiet generator set.

If you are looking for a generator set like the Fischer Panda 70-4PMS 71.8 KVA but with different technical features then you can browse the entire [marine generator](#) catalogue.

Images and technical data are not binding.

...

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	61
Continuous power three phase (KW)	54.9
Maximum power three phase (KVA)	71.8
Continuous power three phase (KVA)	64.6
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	Deutz BF4M2012C
Engine rpm (rpm)	1500
Speed governor	Electronic
Starting system	Elettrico
Engine capacity (cm ³)	4764
Number cylinders	4
Cooling	Water
Poles	4
Motor insulation class	H
Length (mm)	1630
Width (mm)	920
Height (mm)	1070
Dry weight (Kg)	1490
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	Capacitor
Engine manufacturer	Deutz